

BHARAT HEAVY ELECTRICALS LIMITED HEEP HARIDWAR INDIA-PIN 249403 FAX NO: 0091 1334 226462 PHONE NO: 0091 1334 284142

BHEL ENQUIRY No: T/T3990/20/0602K1

M/s.....

Sub: BHEL-HEEP/OPEN-TENDER (Turbine) / 2021

The Heavy Electricals Equipment Plant (HEEP) located in Haridwar, India is one of the major manufacturing plants of Bharat Heavy Electricals Ltd. The core business of HEEP includes design and manufacture of large steam and gas turbines, turbo generators and so on.

Sealed tenders with the **Tender No.** and **opening date** clearly super scribed on the cover are invited from the manufacturers (registered as well as unregistered) for the items **BAR MATERIAL FOR TURBINE BLADES NICR20TIAL (NIMONIC 80 A) Annexure- (Item Details):** -

SPECIAL INSTRUCTIONS OF ENQUIRY-

- Late delivery Penalty for Late Deliveries shall be applicable @0.5% per week or part thereof on the value of respective delayed supplies subject to maximum of 10% of the value of respective delayed supplies. If vendor do not confirm late delivery penalty clause in their offer, then it shall be presumed to be acceptable. No further clarification shall be asked in this regard after opening of techno-commercial bid part-1.
- 2. Foreign vendors to either quote third party inspection charges (LRS/BV/TUV) separately in their offer or vendor to mention that third party inspection charges are included in the quoted prices of the offer. If vendor do not quote third party inspection charges or do not mention that third party inspection charges are included in quoted prices, then it shall be presumed that third party inspection charges are included in the quoted prices of the offer. No further clarification shall be asked in this regard after opening of techno-commercial bid part-1.
- 3. Vendor to confirm, endorse and return back enclosed BHEL QP "QA/CF/QP/358, rev02" (Annexure-QP).
- 4. Foreign Vendors to confirm Inspection shall be done by third party inspection agency (LRS/TUV/BV) as per finally NTPC approved Quality Plan.
- 5. Indian Vendors to confirm Inspection shall be done by BHEL/BHEL nominated inspection agency BVIL & NTPC as per finally NTPC approved Quality Plan.
- 6. Price bids shall be opened for only those bidders who qualifies PQR and whose techno-commercial bid is acceptable to BHEL.
- 7. Credentials as per Annexure- Sub-vendor questionnaire format is to be submitted by bidders (who are not customer approved) along with the offer for customer approval. Offers will not be considered if customer does not approve any bidder. Further, Bidder shall confirm any additional customer specific bidder approval requirements as per customer approval letter (if any) without any financial implication else their offer shall not be considered.
- 8. Inspection by BHEL customer may also be done at vendor's work as per customer approval letter.

- 9. End of bars should be squared and sawed off properly.
- 10. There should be proper stamping of cross section, Heat number, material grade, vendor code/vendor name on each bar at the pitch of one meter.
- 11. Quantity tolerance should be (+/-10)%.
- 12. All vendors to provide point wise reply/confirmation along with relevant supporting documents to each and every point of **Annexure (Pre-Qualification Requirement/PQR)** for all enquiry items. Non-compliance of these may lead to rejection of offer as these are essential condition for participating in tender enquiry.
- 13. Vendor to offer best delivery schedule. Delivery is not sacrosanct.
- 14. The evaluation currency for this tender shall be INR.
- BHEL Standard payment term is "Payment after receipt and acceptance of material/item at HEEP, BHELstore" as per General Instruction and Standard Terms & Condition (GISTC), Version December-2020, Rev: 05.
- 16. The quotation shall be valid for a minimum period of 120 days, effective from the date of tender opening.
- 17. Vendor to ensure that their quoted rates are not more than those quoted for any other customer including other BHEL units.
- 18. The total quantity may undergo change at the time of ordering.
- 19. Test certificate and Guarantee certificate to be provided by vendor as per specification.
- 20. Vendor Contract clause regarding GST ITC and provision for E-Invoices w.e.f. 01.10.2020 for Indian Vendors:
- (i) W.e.f. 01.04.2021, vendor to ensure submission of E-Invoice who is having turnover of more than Rs. 50 Crs. in any preceding financial year from 2017-18 onwards.
- (ii) It has been specified by the Govt. that it is mandatory to mention a valid unique invoice Reference No. (IRN) and QR code as generated from Govt. portal on a Tax Invoice. Based on such information, GST ITC as claimed by BHEL in GST Returns shall be matched with the corresponding details uploaded by supplier in E-Invoicing System.
- (iii) In case the vendor /contractor delays or fails to provide all the documents as per the Purchase order / Work Order at the time of submitting Tax invoice to BHEL, any subsequent financial loss to BHEL on account of vendor/contractor shall be to vendor's / contractor's account. BHEL has further right to take necessary steps to protect its interest at the time of release of payment. This further requires inclusion of IRN and QR code on tax invoice as announced by Govt. of India w.e.f. 01.10.2020.
- 21. For this procurement, the local content to categorize a supplier as a Class-I local supplier/ Class-II local supplier/ Non-local supplier and purchase preference to Class-I local supplier, is as defined in Public Procurement (Preference to Make in India), Order 2017 dated 04.06.2020 issued by DPIIT. In case of subsequent orders issued by nodal ministry, changing the definition of local content for the items of the NIT, the same shall be applicable even if issued after issue of this NIT, but before opening of Part-II bids against this NIT.
- 22. All provisions of Order No. F.No.6/18/2019-PPD of Department of Expenditure (DoE) shall <u>not</u> be applicable for this tender enquiry (Order copy is available at https://doe.gov.in/procurement-policy-divisions). This item can be procured from the vendors from countries which shares a land border with India, and in such

cases, the bidders from countries which shares a land border with India, will <u>not</u> be required to be registered with the Competent Authority i.e. registration committee constituted by DPIIT.

Therefore, GISTC clause "RESTRICTIONS UNDER RULE 144(XI) OF THE GENERAL FINANCIAL RULES (GFRs), 2017" is not applicable for this case.

23. Procurement directly from Manufacturers/ suppliers shall be preferred. However, in case of submission of offer through agents including dealers/ traders/ distributors/ stockiest/ Channel partners etc. on behalf of manufacturer or the manufacturer themselves insists for making suppliers through their such agents only, following guidelines will be followed.

a. Either the agent could bid on behalf of the manufacturer / supplier or the manufacturer / supplier could bid directly but not both.

b. In case bids are received from both the manufacturer / supplier and the agent, the bid received from agent shall be ignored.

c. The agent shall not allow to represent more than one manufacturer / suppler in the same tender.

d. Agent should submit the authorization letter from the manufacturer clearly indicating details like Name, e-mail and address of manufacturer and relationship with agent and its validity to be submitted with bid. The authorization letter should be tender specific.

e. In case order is to be placed and executed by agent following aspects are to be ensured:

- Manufacturer of the agent should meet the PQR as defined in tender.
- Agent should have annual turnover of at least equal to Rs. 175 Lacs during one financial year and the net worth of the agent should be positive.
- Manufacturer and bidder / agent should jointly confirm Guarantee for the quality of product and timely delivery as stipulated in the NIT.
- 24. The remaining terms shall be as per <u>GENERAL INSTRUCTION AND STANDARD TERMS & CONDITION (GISTC),</u> <u>VERSION December-2020, Rev: 05</u>). Please submit your offer only for the above requirement subject to our GENERAL INSTRUCTIONS AND STANDARD TERMS & CONDITIONS (GISTC: Version December-2020, Rev: 05). Please visit our site <u>www.hwr.bhel.com</u> for General Instructions and Standard Terms & Conditions (GISTC) for Tender Enquiries. All the bidders/vendors must ensure compliance of these GISTC. GISTC can also be referred by login to B2B Portal for Registered Vendors.

The tender documents can be downloaded from our web site <u>www.bhel.com</u> or <u>www.hwr.bhel.com</u>. After downloading the tender documents from web site, while submitting the tender as detailed in "<u>Instruction to</u> <u>Bidders</u>", intending vendors must submit Tender Fee of Rs. 2,000/- (Rupees two thousand only) in the form of Pay Order /e-payment/ Demand Draft (drawn in favour of 'BHEL HARIDWAR') only. It may be noted that if hard copy of any tender documents are required, then the same may be collected against copy of Pay Order /e-payment/ Demand Draft of requisite tender fee (while original to be submitted with Part-I). <u>However, if no hard copy of any tender documents are required from BHEL, no tender fee is required to be submitted.</u>

Vendors must also remit the <u>requisite EMD (Earnest Money Deposit) of Rs. 2,00,000/- (Rupees Two lakh only)</u> in the form of Pay Order/ E-payment / Demand draft (drawn in favor of 'BHEL HARIDWAR'). <u>If EMD is not</u> <u>submitted along with the offer (Part-I) then the offer shall be out rightly rejected</u>.

Following HEEP BHEL Hardwar PMD SL053 approved vendors are exempted from submission of EMD whose vendor codes are mentioned below: -

ITEM CODE	PMD VENDOR CODE
HW1270384023	
HW1270384031	
HW1270384015	M70076, M72518
HW1270384104	
HW1270384112	
HW1270384120	

"As per the OM No. F.No. 1(2)(1)/2016-MA dtd. 09.02.2017 issued from the Office of Development Commissioner (Micro, Small & Medium Enterprises), "Traders and agents should not be allowed to avail the benefits extended under the PP Policy."

In view of this, it is clarified that benefits of MSE (such as EMD Waiver, Tender fee exemption, Price preference, Payment preference etc.) will be given only to those MSE Vendors who are manufacturers of offered items against the NIT. No MSE benefits shall be provided to Agents / Stockists / Dealers / Traders etc. for the items offered but not manufactured by themselves."

For E-Payment, the RTGS details are mentioned as below:

Bank Details	SWIFT Details of bank
STATE BANK OF INDIA	SWIFT NO: SBININBB225
RANIPUR BRANCH,	CC ACCOUNT NO :10667995458
OPP: BHEL MAIN GATE,	IFSC CODE : SBIN0000586
SECTOR-5, RANIPUR,	
HARIDWAR,	
UTTRAKHAND, INDIA	
PIN CODE : 249403	

As per notification reference no. NSIC/HO/GP/15(4)/2013-14 dated 07.07.2013 Micro & Small Enterprises (MSEs) are not required to submit Tender fees. A Valid MSE certificate such as Udyam Certificate/NSIC/EM (Part-II) as per GISTC shall be submitted in support of Micro & Small Enterprises (MSEs).

Central / State – PSUs / Government departments are exempted from submission of EMD subject to approval by BHEL management.

Please submit separate drafts for EMD and tender fee in an envelope super-scribed with bold letters "EMD & Tender Fee" to be submitted with Part-I.

Micro & Small Enterprises (MSEs) are exempted from submission of EMD and/or Tender fees. Documents as detailed in <u>GENERAL INSTRUCTIONS AND STANDARD TERMS & CONDITIONS (GISTC), Version</u> <u>December-2020, Rev: 05</u> hoisted on our website www.bhelhwr.co.in are to be submitted for availing exemption from submission of Tender Fees & EMDs.

BHEL will forfeit the EMD if, the successful bidder / vendor refuses to honor the order after award of the same on him and / or withdraws his bid and / or unilaterally changes the offer and / or any of its terms & conditions within the validity period.

Tenders will be received in Tender Box kept in Tender Room and should be addressed to:

THE HEAD OF MATERIAL MANAGEMENT, Heavy Electrical Equipment Plant, Bharat Heavy Electricals Limited, HARIDWAR-249403 (Uttarakhand), INDIA.

The date for opening of tender shall be 21.06.21. Tenders will be received up to 1.45 P.M. on 21.06.21 and opened on the same day at 2.00 P.M. in the Tender Room. Please note that tender received after due date & time (1.45PM on 21.06.21) will not be REPEAT will not be opened. BHEL will not be responsible for any type of postal / courier delay.

Bids shall be opened at 2 PM on the due date in the presence of authorized representative of the bidders who may like to be present. The authorized representative should bring authority letter from their parent company (Manufacturer) for the specific tender no. attending the bid opening.

Amendments/Corrigendum, if any, will be hosted only on the websites mentioned above. Other terms and conditions will be as per tender documents.

Vendors operating from BHEL quarters, unauthorized colonies on BHEL land and Dharamshalas/ hotels shall not be considered, hence such vendors need not apply. Any vendor who is under hold (for the item)/ delisted/ banned with BHEL on date of opening of Part – 1 will not be allowed to quote for this tender. In case their offer is received, it may be out rightly rejected.

Unregistered vendors may please visit our site www.bhel.com for filing up the Supplier Registration Form. Copy of filled Supplier Registration Form (SRF) may be submitted along with the offer.

Foreign and Indigenous bidders against open tender may obtain class – III DSCs. Procedure for application is available on <u>www.bhel.com</u>.

KINDLY READ "INSTRUCTIONS TO BIDDERS." QUOTATION NOT IN ACCORDANCE WITH THE INSTRUCTIONS ARE LIABLE TO BE DISQUALIFIED AND IGNORED.

INSTRUCTIONS TO BIDDERS FOR SUBMITTING OFFER

DEFINITION

Registered Vendors - Are those who are registered with BHEL, Haridwar for Megawatt rating/ Size/ Weight of tendered components in respective steel grade or machining of such items.

Un-registered Vendors - Are those who are not registered with BHEL, Haridwar for Megawatt rating/ Size/ Weight of tendered components in respective steel grade or machining of such items.

TECHNICAL QUALIFICATION: Technical Requirement, Pre-Qualifying Requirements/PQR & Drawings to be submitted. It is the mandatory requirement. Offer of vendors not meeting these requirements may not be considered.

ESSENTIAL INSTRUCTIONS

Un-registered vendors may be approved by BHEL, if found suitable, on the basis of data furnished by them in Supplier Registration Form (SRF) for Foreign Vendors or Indigenous Vendors (as applicable). Vendor Registration Form shall be filled only by unregistered vendors on our website www.bhel.com.

BHEL team may visit the vendor(s) works for verification of capability and capacity claimed in tender documents/offer(s).

The tender shall be **submitted in two parts** in separate cover as described below on or before the due date:

Part I (Cover-1) - Containing the following:

- 1. Point wise reply/confirmation to both **Pre-qualifying requirement Annexure (PQR)** along with all necessary supporting documents in one go. Non-compliance of this may lead to rejection of offer.
- EMD (Earnest Money Deposit) Or Valid certificate/Document towards exemption of Tender fee and/or EMD (applicable for Micro and small Enterprises, Central / State PSUs / Government departments, PMD vendors etc.). If EMD is not submitted along with the offer (Part-I) then the offer shall be out rightly rejected.
- **3. Techno -Commercial Bid-** it should be replica of price bid (copy of price bid without price part) in line with technical requirement as per drawings and documents.
- 4. Annexure (Self-Certification Certificate (MII))
- 5. Annexure (Signed BHEL QP 'QA/CF/QP/358, rev02')

Part II (Cover-2) - Containing the following

1. Price Bid

All the sub-envelopes (Part-I & part-II) to be put in a single covering envelope indicating tender no., due date and the name of vendor, e-mail id, with full contact details. Offer should be complete in all respect (i.e. Part-I & part-II). BHEL may decide to ignore the offer in case of submission of incomplete offer.

* Please submit your offer according to <u>General Instructions and Standard Terms & Conditions (GISTC), Version</u> <u>December-2020, Rev: 05</u> for Tender Enquiries. Please visit our site www.hwr.bhel.com for GISTC. All the bidders/vendors must ensure compliance of these <u>GISTC (VERSION: Version December-2020, Rev: 05). GISTC</u> <u>(VERSION: Version December-2020, Rev: 05)</u> can also be referred by login to B2B Portal for Vendors.

REFERENCES:

Annexure- (Pre-Qualification Requirement/PQR)

Annexure- (Item Details)

Annexure- (General Instructions and Standard Terms & Conditions (GISTC), Version Dec 2020, Rev:05)

Annexure (Self-Certification Certificate (MII))

Annexure (Signed BHEL QP 'QA/CF/QP/358, rev02')

Annexure- (Sub-vendor questionnaire format)

Indent No.:- 20202914



Specification: HW12784, Rev 03, HW0993008 and all cross referred standards

Minimum Qualification Requirement for blade flats of material grade NiCr20TiAl, HW12784 Rev 03

1.0 Experience Requirement:

- a. Vendor must satisfy following requirements:
 - (i) Must have experience of manufacturing and supplying rectangular bars in material grade NiCr20TiAl, (material number 2.4952) or other precipitation hardened Nickel based alloys like Alloy 105, Alloy 115 etc.

Must have manufactured and executed at least one purchase order of flat bars of NiCr20TiAl or other precipitation hardened Nickel based alloys e.g Alloy 105, Alloy 115 etc. in the last 5 years.

NA

In support of above vendor to submit experience details in enquired grade preferably in format given below:

SI. No	Name of customer	Purchase order No	Size	Date of supply	Quantity	
					5	
	Labora Janatawa					「たい」

b. Following documents are to be submitted in support of experience:

- Test certificate duly witnessed/certified by Third party inspection agency / customer of above referred purchase order. Test certificates shall include - chemical & mechanical properties, heat treatment details and dimensions.
- c. Vendor must have creep rupture data of NiCr20TiAl as per the requirement of EN/AMS/ASTM etc. In support, vendor has to submit Creep Rupture Data for flat or round bars or forgings etc., of NiCr20TiAl.

2.0 Manufacturing and Testing Facilities:

a. Vendor to confirm that they have in house rolling/forging and heat treatment facility to manufacture rectangular bars as per enquiry specification HW12784 and enquiry dimensions and tolerances as per HW0993008.

Following in house facility details are to be submitted:

- Rolling/forging
- Heat treatment facility
- b. Vendor to furnish details of in house melting and refining facilities to manufacture raw material for further rolling/forging for turbine blade flats as per enquiry specification. At least one test certificate for material grade NiCr20TiAl manufactured in house to be submitted with offer.

In case, melting & refining facility is not available in house, vendor to inform their source of raw material with following details of their source – Experience for enquiry material grade with at least one mill test certificate of enquiry material grade, melting & refining facilities.

c. Vendor to confirm that they have in house testing facilities as per the requirement of enquiry specification. Details of in house facility to be submitted.

In case of outsourcing of any test, vendor to agree to carry out testing at Government accredited labs only.

3.0 Supply length is 2.5 meter to 5 meter with 10% short down to 1 meter as per Specification no HW 0993008. In case vendor wants to offer in shorter lengths wrt this specification, supply in shorter lengths will be acceptable only as cut pieces of fixed length. "For example bars of say 70x30mm will have to be supplied in fixed lengths of 230 mm." BHEL will inform exact lengths for each cross section, in case of offer of lengths shorter than specified, by vendor.



	ANNEXURE ITEM DETAIL						
SNO	ENQNO	ITEM-NO	MATCODE	MDESC	QUANTITY	UNIT	Delivery Date
1	202006021	1	HW1270384023	BAR MATERIAL FOR TURBINE BLADE S NICR20TIAL(NIMONIC 80 A) SPEC: HW12784 REV: 03 SIZE: 60X26 DIM.: WXT	520	KG	31.07.2021
2	202006021	2	HW1270384031	BAR MATERIAL FOR TURBINE BLADE S NICR20TIAL(NIMONIC 80 A) SPEC: HW12784 REV: 03 SIZE: 62X28 DIM.: WXT	535	КG	31.07.2021
3	202006021	3	HW1270384015	BAR MATERIAL FOR TURBINE BLADES NICR20TIAL(NIMONIC 80A) SPEC: HW12784 REV: 03 SIZE: 64X29 DIM.: WXT	1021	KG	31.07.2021
4	202006021	4	HW1270384104	BAR MATERIAL FOR TURBINE BLADE S NICR20TIAL(NIMONIC 80 A) 70X29 MM SPEC: HW12784 REV: 03 SIZE: 70X29 DIM.: 70X29	416	KG	31.07.2021
5	202006021	5	HW1270384112	BAR MATERIAL FOR TURBINE BLADE S NICR20TIAL(NIMONIC 80 A) 7 3X36 MM SPEC: HW12784 REV: 03 SIZE: 73X36 DIM.: 73X36	444	KG	31.07.2021
6	202006021	6	HW1270384120	BAR MATERIAL FOR TURBINE BLADE S NICR20TIAL(NIMONIC 80 A) 7 5X36 MM SPEC: HW12784 REV: 03 SIZE: 75X36 DIM.: 75X36	488	KG	31.07.2021



HEEP-HARIDWAR, UTTARAKHAND (249403) General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC)

For Indian Bidders (Version December-2020, Rev: 05)

Table of Contents

1.	
2.	ORIGIN OF QUOTATION 1
3.	SUBMISSION OF TENDER1
4.	TENDER OPENING 2
5.	SPECIFICATION, DRAWINGS & STANDARD 2
6.	PRICE SCHEDULE
7.	REVERSE AUCTION
8.	DELIVERY TERMS
9.	PENALTY FOR LATE DELIVERY 4
10.	PAYMENT TERMS 4
11.	TAXES & DUTIES5
12.	BANK GUARANTEE6
13. REP	GUARANTEE / WARRANTY AND CORRESPONDING AIRS / REPLACEMENT OF GOODS6
14.	QUALITY REQUIREMENT 6
15.	VALIDITY 6
16.	RIGHT OF ACCEPTANCE6
17.	TRANSIT INSURANCE7
18.	RISK PURCHASE7
19.	FORCE MAJEURE CLAUSE 7
20.	NON-DISCLOSURE AGREEMENT8
21.	SETTLEMENT OF DISPUTES / ARBITRATION
22.	WHARFAGE / DEMURRAGE RESPONSIBILITY
23. ENT	CONDITIONS FOR AVAILING MICRO & SMALL ERPRISES (MSE'S) BENEFITS8
24.	INFORMATION TO THE BIDDERS10
25.	MAKE IN INDIA (GOVT-NOTIFICATION)10
26. GEN	RESTRICTIONS UNDER RULE 144(XI) OF THE IERAL FINANCIAL RULES (GFRs), 201712

27.	NOTE	12	

1. GENERAL

These general terms & conditions shall apply to all the Tender Enquiries, notice inviting tenders, request for quotations concerning the supply of goods and / or rendering of services to Bharat Heavy Electricals Ltd., HEEP, Haridwar (hereinafter referred to as BHEL or the Purchaser). In case of placement of order these conditions will become part of Purchase Order (P.O) until unless the deviations are specifically agreed by BHEL.

2. ORIGIN OF QUOTATION.

- a) The quotation should preferably be from the principal bidder. However tender specific authorized registered dealer/agent can also submit the bid on their behalf, failing which the quotation is liable to be ignored. BHEL prefers to deal directly with the principal manufacturers.
- b) An agent cannot quote on behalf of more than one principal in the same Tender Enquiry.

3. SUBMISSION OF TENDER.

 a) Bid / Quotation must be enclosed in sealed cover on which tender enquiry number and the due date MUST BE written and be invariably sent under REGISTERED POST / SPEED POST / COURIER / Dropped in the Tender Box: addressed as follows:

Quotation	against Enquiry No	
Dated:		
Due on:		
То,		

THE HEAD OF MATERIALS MANAGEMENT, Heavy Electrical Equipment Plant, Bharat Heavy Electricals Limited, HARIDWAR-249403 (Uttarakhand), INDIA.

 b) TENDER ROOM is located at: Room No. - 415, 4th Floor, Main Admin. Building, BHEL-HEEP, Haridwar.



HEEP-HARIDWAR, UTTARAKHAND (249403) General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Indian Bidders (Version December-2020, Rev: 05)

- c) In case of Three / Two Part Bid, technical bid containing technical offer, duly signed and un-priced copy of the Price Bid should be kept in one envelope. Price Bid containing only the price should be kept in a separate envelope. All envelopes indicating Part-1 or Part-2 or Part-3 as the case may be to be put in a bigger envelope. Please note that un-priced bid should be the exact replica of price bid but without prices.
- d) The bid / quotation must be posted before due date, keeping allowance for postal transit time. Quotations sent by any mode but not received in time will be ignored. Tender received through authorized E-mail is also acceptable. However, in time submission of tender in tender box shall be the responsibility of the bidder, sent through any mode. Documents submitted with the offer / bid shall be signed and stamped in each page by authorized representative of the bidder.
- e) Any additional documents submitted by supplier / bidder, during processing of registration application / tender or after placement of order shall not be accepted unless it is submitted with forwarding letter and duly signed and stamped.
- f) The bids of the bidders who are on the banned list and also the bids of the bidders, who engage the services of the banned firms, shall be rejected. The cutting / overwriting in the bid / offer must be duly attested by the signatories to the bid. The list of firms banned by BHEL is available on BHEL web site www.bhel.com.
- g) Being PMD vendor, if you are not quoting against this tender enquiry, please send your regret letter positively for our reference with valid reasons for not participating in the tender enquiry. Repeated lack of response on the part of bidder may lead to deletion such PMD vendor from BHEL's approved vendor list.
- h) The bidders will submit Integrity Pact, duly signed by its authorized signatory, along with their bids wherever estimated tender value is Rs. 2 Crore or more.

- i) In case of open tender, technically qualified unregistered bidders may apply online for registration through <u>http://www.bhel.com/index.php/vender</u>.
- j) BHEL reserves the right to award tendered quantities among more than one bidder (after acceptance of L1 price by the other bidders). BHEL can also consider awarding of part of the tendered quantity to other than L-1 bidder at L1 counter offered rates, if the quantity offered by the L-1 bidder is less than the quantity tendered for.
- k) In case of e-Tendering (Online bidding through e-portal), offline bid submitted in hard copy or in any other form by the vendor / supplier will not be accepted and will be rejected out rightly. Only e-portal bid will be accepted.

4. TENDER OPENING.

Tender opening is scheduled to start in the Tender Room at 2:00 PM, on the due date. Therefore, bid / quotations must reach this office / tender Box latest by 1:45 PM on due date. Only participating bidders are allowed to attend tender opening. <u>TENDERS RECEIVED AFTER THE SPECIFIED TIME OF</u> <u>THEIR 'SUBMISSION' WILL BE TREATED AS LATE TENDERS</u> <u>AND SHALL NOT BE CONSIDERED UNDER ANY</u> <u>CIRCUMSTANCES.</u> The bidders or their authorized representatives may be allowed to attend tender opening if duly authorized by their principals, through a tender specific letter on that particular day. General authorization letter is not acceptable.

Note: - Foreign bidders willing to attend the bid opening has to provide the requisite documents to the concerned Purchase executives for arranging gate pass for them.

- 5. SPECIFICATION, DRAWINGS & STANDARD.
- a) Bidders must give their detailed specification in the quotation along with relevant technical literature / catalogue etc. against the tender enquiry.
- b) The Bid should be accompanied with relevant copies of catalogues, drawings or specification as per tender enquiry.



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Indian Bidders (Version December-2020, Rev: 05)

If these documents are not furnished, the offer is liable to be rejected.

- c) Wherever national / international (N/IN) standards are referred, the latest N/IN standards are to be followed. Mention year & date of standard revision that shall be followed for the supply.
- d) All Drawings and Standards are proprietary of BHEL. It must not be used in anyway detrimental to the interest of the company.

6. PRICE SCHEDULE.

- a) Kindly quote your prices in figures and words both. In case of any discrepancy in value, the prices quoted in words shall be considered for evaluation and establishing L1 status.
- b) Prices quoted should not be more than the prices quoted to any other BHEL units / offices / divisions. Vendor to submit copy of latest Purchase Order placed by any unit of BHEL for similar items in the technical bid. In case no order has been placed on such items, specific confirmation that no order has been placed on such items should be provided.
- c) Prices should be quoted on F.O.R. Destination basis. Transit insurance shall be arranged by BHEL and not to be included in the prices. The offers quoted on other than F.O.R destination basis may result in non-consideration of such bids.
- d) In case BHEL accepts the EX-Works prices, such offers will be loaded by 1.5% of EX-Works value towards freight or with actual freight charges as per BHEL freight rate contract whichever is higher.
- e) In case of Indigenous items covered by DGS & D Rate Contract, the bidders should submit latest valid copy of the rate contract along with bid / quotation
- f) Applicable IGST / CGST / SGST and any other statutory levy should be indicated separately and clearly in the bid / quotation.

- g) Bidders can dispatch goods through any Indian Bank Association approved transporters having their branch at HARIDWAR / destination. If material is dispatched through other than Indian Bank Association approved transporter, material to be delivered on door delivery BHEL Stores basis.
- h) In case of dispatch of material through any other unapproved transporter, payment shall be made only after receipt of material and any additional charges payable to the transporter shall be to the bidder's account.
- Any demurrage / godown rent payable to the transporter / or to godown's owner due to any delay attributed by the supplier shall be recovered from supplier's account.
- j) Currency of Evaluation shall be INR.

NB: Financial evaluation of L1, L2Status will be on the basis of Landed Cost to BHEL.

7. <u>REVERSE AUCTION</u>.

Wherever RA is declared in the special terms and conditions of tender enquiry, following shall be applicable and Bidders to confirm the same:

"BHEL shall be resorting to Reverse Auction (RA) (Guidelines as available on www.bhel.com) for this tender. RA shall be conducted among all the techno-commercially qualified bidders.

Price bids of all techno-commercially qualified bidders shall be opened and same shall be considered as initial bids of bidders in RA. In case any bidder(s) do(es) not participate in online Reverse Auction, their sealed envelope price bid along with applicable loading, if any, shall be considered for ranking."

8. DELIVERY TERMS.

- a) Goods shall be delivered on 'FOR Destination' basis to the named destination unless otherwise called for in the tender enquiry.
- b) Loading on account of 3rd party inspection charges in case of Indian bidders shall be 0.20%.



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Indian Bidders (Version December-2020, Rev: 05)

9. <u>PENALTY FOR LATE DELIVERY</u>.

a) <u>Where items of Purchase Order are independently usable.</u>

Penalty for Late Deliveries shall be applicable @0.5% per week or part thereof on the value of respective delayed supplies subject to a maximum of 10% of the value of respective delayed supplies. Value of delayed supplies will mean the Gross Value payable to the vendor (Before LD) against such supplies excluding taxes and duties.

b) Where the total items are required for a main equipment and items are interdependent.

Penalty for Late Deliveries shall be applicable @0.5% per week or part thereof on total value of Purchase Order subject to maximum of 10% of the total value of Purchase Order. Purchase Order value for this purpose shall be the Total Gross Value payable to the vendor (Before LD) excluding taxes and duties.

- c) Bidders are requested to quote the best delivery meeting the delivery requirements. BHEL reserves the right to reject the offers not meeting BHEL's delivery requirement.
- d) Commencement of delivery period shall be reckoned from the date of PO / LOI or any other agreed milestone.
- e) Bidder shall deliver the goods in the manner and schedule agreed under the terms and conditions of Purchase order.
- f) <u>DELIVERY IN CASE OF REJECTION</u>: In case the material is rejected, then date of replacement will be considered as the actual date of delivery.
- g) <u>DELIVERY AGAINST BANK DOCUMENTS</u>: In case payment terms quoted by bidder are documents through bank, and the delivery terms being "FOR Haridwar / FOR Transporter Godown" then date of delivery will be date of intimation by transporter / bidder of delivery of material at Haridwar for the penalty purpose.

g) Where the payments are through bank, the documents may be presented for negotiation to BHEL authorized / nominated bank.

10. PAYMENT TERMS.

- a) BHEL's standard payment term is Payment after receipt and acceptance of materials / items at HEEP, BHEL-Store or at desired destination unless otherwise specified in Special Terms attached to the tender enquiry.
- b) BHEL reserves the right to accept or reject the offer of the bidder who quotes the payment term other than BHEL's standard payment term.
- c) Loading on account of deviation in payment terms shall be done as per extant rules of BHEL-Haridwar.
- d) 100% payment along with taxes, freight & insurance will be made after receipt and acceptance of material and within 75 days from the date of invoice subject to submission of nondiscrepant documents within 15 days of supply as per terms and conditions of Purchase Order. In case any discrepancy found in the documents, BHEL will notify the same to vendor within 7 days of receipt. Vendor has to clear all the discrepancies in one go within 7 days thereafter else the payment of vendor may get delayed.
- e) For MSEs (covered under MSME Act) which are registered and periodically renewed with BHEL, the payment will be made within 45 days or as prescribed in the relevant act.
- f) Adherence to the above time schedule of payment is contingent upon Vendor complying with GST Rules w.r.t availment of Input Tax Credit by BHEL.
- g) In case GST credit is delayed / denied to BHEL, due to non / delayed receipt of goods and / or tax invoice or expiry of the timeline prescribed in GST Law for availing such ITC, or any other reason not attributable to BHEL, GST amount shall be recoverable from Vendor along with interest levied / leviable on BHEL.
- h) The taxes and duties that are reimbursed would be the ones applicable as on the contractual Purchase order delivery date or the amount actually paid whichever is less.



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Indian Bidders (Version December-2020, Rev: 05)

i) <u>The loading criteria for the different payment terms shall be</u> <u>as under;</u>

Payment Terms		Days of
		Loading
	t & Acceptance of	No Loading
material with	in 75 days of supply.	
Against Deliv	very at BHEL-Stores	45
Haridwar.		
Against docu	ments through bank	45
(CAD):		
Letter of Credit (LC)		120
	No Loading if usance	period is > 120 Days.
	Loading of days' diffe	erence i.e. difference
Usance LC	between 120 days an	d usance period if the
	usance period is < 75	days.
Advance	Delivery Period + 120 Days - Advance	
	Payment Days.	

11. TAXES & DUTIES.

- a) The bidder to specify in their offer (part 1 bid) the category of their registration under GST like Registered, Unregistered and composite dealer.
- b) The provisional GST registration number of Bharat Heavy Electrical Ltd, Heavy Electricals Equipment Plant, Ranipur, Haridwar is <u>"05AAACB4146P1ZL"</u> with state Code as "05" and State Name as "Uttarakhand".
- c) Please quote our provisional GST registration number in all invoices raised for supply of goods and services under GST regime and also ensure filing of timely return and payment of tax and compliance of other applicable provisions on supplier under GST regime.
- d) No GST will be reimbursed to unregistered or composite dealer. In the event, any GST is quoted by composite dealer, the same shall be added to the cost of supply in evaluating the bid.
- e) Since, input credit of GST will be available to BHEL-Haridwar only after correct filing of return and payment of applicable GST by supplier, reimbursement of GST shall be made by BHEL-Haridwar on matching of vendor inputs at GST portal,

ensuring availability of input credit to BHEL Haridwar. Payment of GST will be made to vendor after matching of input credit and vendor to ensure submission of their invoices along with consent to accept payment of tax after such matching in all cases where bills are submitted directly to BHEL-Haridwar or through bank or under LC or through any other mode.

- f) In the event of any disallowance of input credit or applicability of interest or any other financial liability arises on BHEL-Haridwar due to any default of supplier under GST, such implication shall be to supplier's account.
- g) In the event of any change in the status of the vendor after the submission of the bid but before the supply, GST applicable at the time of supply or in the bid, based on the registration status of the vendor, whichever is lower shall be payable.
- h) Where ever applicable If PAN (Permanent Account Number) of the recipient is not available, income tax is deductible either at the normal rate or at the rate of 20 percent, whichever is higher as per Section 206AA of Indian Income Tax Act 1961.
- i) The bidder shall clearly indicate HSN (*Harmonised System Nomenclature*) / SAC (*Service Accounting Code*), its description and applicable rate of GST for each item in his techno-commercial bid.
- j) Statutory Variation in Taxes & duties as applicable at the time of supply shall be payable. However, in the event of no change in law but bidder quoting certain tax structure in bid document which is lower than the applicable one, such amount shall be the maximum amount of tax that can be claimed by bidder.
- k) IMPORTED GOODS OFFERED BY INDIAN BIDDERS AGAINST DEALER INVOICE: Wherever the material being offered is imported, the bidder must quote the prices inclusive of IGST. The rate and value of IGST as included in the price must be indicated separately. In case quantum of IGST is not mentioned by the bidder the same will not be considered for evaluation. However, bidder will have to pass on the benefit of IGST to BHEL at the time supply.



HEEP-HARIDWAR, UTTARAKHAND (249403) General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Indian Bidders (Version December-2020, Rev: 05)

I) In case of directly dispatchable items to Customer's Site, BHEL-Haridwar will inform the GST registration number of the respective customer which must be mentioned on the vendor's invoice. Vendor to ensure availability of such information from BHEL-Haridwar before dispatch of any material. However, while filing GSTN-1, BHEL Haridwar GSTN number to be quoted.

Note: - Vendors must ensure compliance of all the applicable rules and procedure as envisaged in the GST Regime. Any loss to BHEL-Haridwar due to fault / non-compliance by the vendor will be to the vendor's account.

12. BANK GUARANTEE.

In case the bank guarantees are required to be deposited towards security deposit/performance guarantee or for any other purpose as per the terms of this tender enquiry, such bank guarantees of the requisite value in the denominated currency of the purchase order should be from one of the Indian branch of BHEL consortium banks and the bank guarantee should be in the proforma as prescribed by BHEL. The proforma of bank guarantee and the list of consortium banks are displayed at BHEL website www.bhelhwr.co.in. However, in case the bank guarantee is not from BHEL consortium banks, then the bidder has to get the bank guarantee confirmed from one of the Indian branch of BHEL consortium banks and the bank charges for such confirmation will be borne by the bidder.

13. <u>GUARANTEE / WARRANTY AND CORRESPONDING REPAIRS</u> / <u>REPLACEMENT OF GOODS</u>.

Goods shall comply with the specifications for material, workmanship and performance. Unless otherwise specified, the warranty shall be for a period of 18 months from the date of receipt. If the delivery is found non-compliant during the warranty period, leading to rejection, the Seller shall arrange free replacement / repair of goods, within one month from the date of intimation or any mutually agreed period. The rejected goods shall be taken away by the Seller at his cost and replaced on Delivered Duty Paid (DDP) (FOR - BHEL Stores / designated destination basis) within such period. In the event

of the Seller's failure to comply, Purchaser may take action as appropriate, including Repair / Replenish rejected goods & disposal of rejections, at the risk & cost of the Seller. In case the defects attributable to Seller are detected during processing of the goods at BHEL or at our subcontractor's works, the Seller shall be responsible for free replacement / repair of the goods as required by BHEL.

b) **RETURN OF REJECTED MATERIAL FOR REPLACEMENT:** The bidder shall have to pay 5% incidental charges while taking back supplied material if it is found rejected on receipt. The rejected material shall be sent back only after receipt of replacement / submission of BG / refund of amount paid.

14. QUALITY REQUIREMENT.

Your bid / quotation should have specific confirmation regarding meeting all our quality requirements such as. (i) Test Certificate (TC), (ii) Guarantee Certificate (GC) / Warranty Certificate (WC), (iii) Quality Plan (QP) (if applicable); and (iv) Pre-Dispatch Inspection at your works (if applicable).

15. VALIDITY.

The quotation should be valid for a minimum period of 90 days effective from the date of opening of tender, unless otherwise specified in the tender enquiry.

16. RIGHT OF ACCEPTANCE.

- a) **BHARAT HEAVY ELECTRICALS LIMITED HARIDWAR** reserves the right to reject any or all the bids / quotations without assigning any reason thereof. BHEL also reserves the right to increase or decrease the tendered quantities. Bidders should be prepared to accept order for reduced quantity without any extra charges.
- b) Any discount / revised offer / bids submitted by a bidder on its own shall be considered, provided it is received on or before the due date and time of offer / bid submission (Part-1). Conditional discounts shall not be considered for evaluation of tenders.
- c) Unsolicited discounts / revised offers / bids given after Part-1 bid opening shall not be accepted. No change in price will be



HEEP-HARIDWAR, UTTARAKHAND (249403) General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Indian Bidders (Version December-2020, Rev: 05)

permitted within the validity period asked for in the tender enquiry.

- d) In case of changes in scope and / or technical specification and / or commercial terms & conditions having price implication, techno-commercially acceptable bidders shall be asked by BHEL to submit the impact of such changes on their price bids. In case a bidder opts to submit revised price bid instead of impact called for then the latest price bid shall prevail. However, in both situations, original price bid will be necessarily opened.
- e) The bidder whose bid is technically not accepted will be informed & EMD wherever submitted shall be returned after finalization of contract. EMD shall be forfeited in the event of bidder opting out after tender opening.
- BHEL reserves the right to short close the existing Purchase Order / Rate Contract / Work Order or any extension thereof at any stage.

17. TRANSIT INSURANCE.

- a) Transit Insurance will be covered by BHEL under its open Insurance Policy. Seller shall inform dispatch particulars (Purchase Order, RR /GR, Invoice value etc.) to "Finance department (Store bill Section), BHEL Ranipur, Haridwar (Uttarakhand-India) with value of consignment to the Purchaser within 07 days of dispatch for BHEL to arrange insurance coverage in its policy. Failure on the part of seller to inform dispatch particulars will make him liable to pay for any transit damages / losses suffered by the Purchaser.
- b) If Quoted Prices are inclusive of transit insurance, no weightage shall be given while evaluating the bids for Cost of Insurance, being in BHEL Scope.

18. <u>RISK PURCHASE</u>.

In case of abnormal delays (beyond the maximum late delivery period as per Penalty clause) in supplies / defective supplies or non-fulfillment of any other terms and conditions given in Purchase Order, BHEL may cancel the Purchase Order in full or part thereof, and may also make the purchase of such material from elsewhere / alternative source at the risk and cost of the supplier. BHEL will take all reasonable steps to get the material from alternate source at optimum cost. If bidder does not agree to the above Risk Purchase Clause, BHEL reserves the right to reject the offer. In case for compelling reasons BHEL accepts the offer without acceptance of this clause by the bidder and in the eventuality of Risk Purchase, appropriate action will be taken as per BHEL extant rules. This will be without prejudice to any other right of BHEL under the contract.

19. FORCE MAJEURE CLAUSE.

Notwithstanding any other thing contained anywhere else in the contract or PO (Purchase Order), In case the discharge of obligation under the contract by either party is impeded or made unreasonably onerous, neither party shall be considered in breach of the contract to the extent that performance of their respective obligation is prevented by an event of Force Majeure that arises after the effective date (PO date).

In the above clause, Force Majeure means an event beyond the control of the parties to the contract which prevents a party from complying with any obligation of the contract including but not limited to:

- a) Act of God (Such as but not limited to earthquake, drought, tidal waves, floods etc.).
- b) War (whether war be declared or not), Hostilities Invasion, Act of foreign enemy etc.
- c) Rebellion, revolution, insurrection, civil war etc.
- d) Contamination of Radio Activity from any nuclear fuel or from any other nuclear waste or any other hazardous materials.
- e) Riots, commotions, strike unless restricted to the employees of supplier.
- f) Acts of terrorism.
- g) Other unforeseeable circumstances beyond the control of the parties and which the affected party cannot avoid even by using its best efforts.
- h) Cancellation of contract by customer.



HEEP-HARIDWAR, UTTARAKHAND (249403) General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Indian Bidders (Version December-2020, Rev: 05)

i) Change in law / government. Regulation making the performance impossible.

The party claiming to be affected by force majeure shall notify the other party in writing immediately without delay on the intervention and on the cessation of such circumstances.

Irrespective of any extension of time, if an event of force majeure occurs and its effect continues for more than 180 days the affected party shall have right to cancel the contract.

As soon as reasonably practicable following the date of commencement of a Force Majeure Event, and within a reasonable time following the date of termination of a Force Majeure Event, either Party invoking it shall submit to the other Party reasonable proof of the nature of the Force Majeure Event and of its effect upon the performance of the Party's obligations under this Agreement.

The party shall, and shall ensure that its Subcontractors shall, at all times take all reasonable steps within their respective powers and consistent with Good Operating Practices (but without incurring unreasonable additional costs) to:

- **a)** Prevent Force Majeure Events affecting the performance of the party's obligations under this Agreement.
- **b)** mitigate the effect of any Force Majeure Event and
- c) Comply with its obligations under this Agreement.

If the war like situation has developed in a country where a seller's works is located in this P.O. or there is political instability and Indian Embassy located in that country forbids or advises for not having any business dealing with the sellers located in such zone / region/ country, then BHEL reserves the right to cancel the order.

20. NON-DISCLOSURE AGREEMENT.

All Drawing and Technical Documents relating to the product or it's manufacture submitted by one party to the other, prior or subsequent to the formation of contract, shall remain property of the submitting party. Drawing, technical documents or other technical information received by one party, shall not without the consent of the other party, be used for any other purpose than that, for which they were provided. Such technical information shall not without the consent of the submitting party, otherwise be used or copied, reproduced, transmitted or communicated to a third party. Patterns supplied by BHEL will remain BHEL's property which shall be returned by the bidder on demand to BHEL. Bidder shall in no way share or use such intellectual property of BHEL to promote his own business with others. BHEL reserves the right to claim damages from the bidder, or take appropriate penal action as deemed fit against the bidder, for any infringement of the provisions contained herein.

21.<u>SETTLEMENT OF DISPUTES / ARBITRATION.</u>

In all cases of dispute, the mater shall be referred for ARBITRATION by sole arbitrator to be appointed by the Unit Head of Bharat Heavy Electricals Ltd., at HARIDWAR. The award of the Arbitrator shall be final and binding on both the parties. The place of Arbitration shall be Haridwar.

JURIDICTION: The courts of Haridwar, India, shall have exclusive jurisdiction.

22. WHARFAGE / DEMURRAGE RESPONSIBILITY.

In the event of delay in receipt of documents by Manager (Stores-Shipping) BHEL-Haridwar and in case where dispatches are made through Unapproved Transporter the sole responsibility for wharfage / demurrage for such delay shall be that of supplier.

23. <u>CONDITIONS FOR AVAILING MICRO & SMALL ENTERPRISES</u> (MSE'S) BENEFITS.

a) "MSE Suppliers can avail the intended benefits only if they submit along with the offer, attested copies of either EM II certificate having deemed validity (five years from the date of issue of acknowledgement in EM II) or valid NSIC certificate or EM II certificate along with attested copy of a CA certificate (Format enclosed at annexure-1 where deemed validity of EM II certificate of five years has expired) applicable for the relevant financial year (latest audited). Date to be reckoned for determining the deemed validity will be the date of bid opening (Part 1 in case of two-part bid) or vendor has to give Udyog Adhar Memorandum (UAM). Non submission of such documents will lead to consideration of their bid at par with



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC)

For Indian Bidders (Version December-2020, Rev: 05)

other bidders. No benefit shall be applicable for this enquiry if any deficiency in the above required documents is found or the requisite documents are not submitted before price bid opening. If the tender is to be submitted through <u>eprocurement portal</u>, then the above require document are to be <u>uploaded on the portal</u>. Documents should be <u>notarized or</u> <u>attested by a Gazetted officer.</u>" **UAM need not required to be notarized or attested**.

- **b)** Any new supplier will be eligible for registration with BHEL as MSE supplier provided at least any one of the following documents are submitted along with application for registration: -
- 1. Udyog Adhar Memorandum (UAM).
- 2. Valid National Small Industries Commission (NSIC) Certificate.
- 3. Entrepreneurs Memorandum part II (EM II) certificate (valid based on deemed validity of 5 years) or
- 4. EM II certificate along with attested copy of CA Certificate (as per prescribed format at annexure-A) applicable for the relevant financial year (latest audited), where the deemed validity of EM II is over.
- 5. However, credentials of all MSE suppliers will be verified before advancing the intended benefits.
- MSE bidders claiming SC/ST status will have to submit SC/ST certificate of the Proprietor from competent authority. Attested (notarized or attested by Gazetted officer) copy to be submitted along with the offer.
- 7. In case techno-commercial accepted bidders include MSE source and their prices (based on landed cost considering quoted prices) are within the price band of 15% w.r.t. L-1 bidder, then BHEL can offer 25% of quantity of respective item (rounded off to nearest number) to MSE bidders at L-1 price and in case, more than one MSE bidder is in 15 % band and the same is accepted by more than one MSE bidders then 25% quantities of respective items will be considered for ordering on proportionate basis amongst MSE bidders.
- 8. There will be minimum of **3%** reservation for women owned MSEs within the above mentioned 25% reservation.
- 9. The reservation for MSEs owned by SC/ST will be **6.25% {** 25% out of target of 25% refer para 4 of Public Procurement Policy for the Micro and Small Enterprises(MSEs)}.
- 10. The definition of MSEs owned by Women Entrepreneurs is clarified as under:

- a) In case of proprietary MSE, proprietor shall be Woman.
- b) In case of partnership MSE, the Woman partners shall be holding at least 51% of share in the unit.
- c) In case of Private Limited companies, at least 51% share shall be held by Women promoters.
- 11. The definition of MSEs owned by SC/ST is clarified as under:
 - a) In case of proprietary MSE, proprietor(s) shall be SC/ST.
 - b) In case of partnership MSE, the SC/ST partners shall be holding at least 51% of shares in the unit.
 - c) In case of Private Limited companies, at least 51% share shall be held by SC/ST promoters.
- 12. While distributing the 25% quantity amongst MSE bidders the decimal points in quantity shall be ignored for all the bidders except the L-1 amongst MSE bidders. Balance quantity after allocating the quantity to other MSE bidders ignoring the quantities in decimal, shall be given to L-1 (amongst MSE) bidder. However, if there are more than one MSE bidder at the same price level than preference for additional quantities due to ignoring off the decimal (as mentioned above) shall be given to the bidder offering favorable terms to BHEL and if the conditions offered are also same then preference will be given to the bidder having high SPR rating.
- 13. In case there are more than one MSE bidders (with different landed cost to BHEL) within 15% price band of lowest bidder and quantity to be offered is 1 no. only, then preference shall be given to the MSE bidder with lowest landed cost.
- 14. In case there are more than one MSE bidders (with same landed cost to BHEL) within 15% price band of lowest bidder and quantity to be offered is 1 no. only, then preference shall be given first, based on the favorable terms in the bid and in case terms are also same, the bidder with high SPR rating shall be given preference.
- 15. If L1 bidder is MSE bidder, entire quantity will be given to such MSE bidder only.
- 16. Note: It may however be noted that MSE guidelines as on date (Date of Technical Bid Opening Part-1) shall prevail.
- 17. "As per the OM No. F.No. 1(2)(1)/2016-MA dtd. 09.02.2017 issued from the Office of Development Commissioner (Micro, Small & Medium Enterprises), "Traders and agents should not be allowed to avail the benefits extended under the PP Policy."



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Indian Bidders (Version December-2020, Rev: 05)

In view of this, it is clarified that benefits of MSE (such as EMD Waiver, Tender fee exemption, Price preference, Payment preference etc.) will be given only to those MSE Vendors who are manufacturers of offered items against the NIT. No MSE benefits shall be provided to Agents / Stockists / Dealers / Traders etc. for the items offered but not manufactured by themselves."

24. INFORMATION TO THE BIDDERS.

- a) Purchase related information is available at our Business-to-Business (B2B) Portal available on our website <u>https://hwr.bhel.com.</u> The user ID & password can be obtained by sending a request to concerned purchase executives.
- b) Intimate your change in mail address or communication address or changes, if any, by email to AGM (SDX/MM) giving your bidder Code.
- c) Please resolve your rejections and unexecuted overdue purchase order immediately which are posted at our B2B Portal, which can be visited through our site <u>https://hwr.bhel.com</u>
- d) Copy of this Tender Enquiry is being sent through the post.

e) The Bidder declares that they will not enter into any illegal or undisclosed agreement or understanding, whether formal or informal with other bidder(s). This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.

In case, the bidder is found having indulged in above activities, suitable action shall be taken by BHEL as per extant policies/ guidelines.

f) Supplier must upload digitally signed e-Invoice on B2B portal for processing of Bills.

In other cases, inked signed hard copy of Invoice to be submitted for processing of Bills.

25. MAKE IN INDIA (GOVT-NOTIFICATION).

- A. This tender enquiry shall be governed by notification no. P-45021/2/2017-PP (BE-II) dated 04.06.2020 of government of INDIA and subsequent circulars issued afterwards. Accordingly, the minimum local content, the margin of purchase preference and the procedure for preference to make in INDIA shall be adhered.
- B. The margin of purchase preference shall be 20%.
 - 'Class-I local Supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content equal to or more than 50%, as defined under this order.
 - 'Class-II local Supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content more than 20% but less than 50%, as defined under this order.
 - 'Non- local Supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content less than or equal to 20%, as defined under this order.
- C. Vendor to specifically confirm if they are Class-I or Class-II local supplier or not as per above mentioned notification. Accordingly, the 'Class-I local supplier' 'Class-II local Supplier' at the time of tender, bidding or solicitation shall be required to indicate percentage of local content and provide self-certification that the item offered meets the local content requirement for 'Class-I local supplier' / 'Class-II local Supplier', as the case may be. They shall also give details of the location(s) at which the local value addition is made.
- D. In cases of Procurement for a Value in Excess of Rs. 10 Crores, the 'Class-I local supplier'/ 'Class-II local Supplier' shall be required to provide a Certificate from the Statutory Auditor or Cost Auditor of the Company (in the case of companies) or from a practicing Cost Accountant or practicing Chartered Accountant (in respect of suppliers other than companies) giving the percentage of Local Content.
- E. <u>Requirement of Purchase Preference</u>:

Purchase preference shall be given to 'Class-I local supplier' in procurements undertaken by procuring entities in the manner specified hereunder -

a. In the procurements of goods or works, which are covered by para 3(b) of mentioned Govt. circular and which are divisible in nature, the 'class-I local supplier' shall get purchase preference over 'Class-II supplier'

Quotations / Bids not in accordance with General Instructions and Standard Terms & Conditions are likely to be ignored. P a g e | 10 of 13

- - - - - - - -



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Indian Bidders (Version December-2020, Rev: 05)

as well as 'Non-local supplier', as per following procedure:

- Among All qualified bids, the lowest bid will be termed as L1. If L1 is 'Class-I local supplier', the contract for full quantity will be awarded to L1.
- ii. If L1 bid is not a 'Class-I local supplier', 50% of the order quantity shall be awarded to L1. Thereafter, the lowest bidder among the 'Class-I local supplier' will be invited to match the L1 price for the remaining 50% quantity subject to the class-I local supplier's quoted price falling within the margin of purchase preference, and contract for that quantity shall be awarded to such 'Class-I local supplier' subject to matching the L1 price. In case such lowest eligible 'Class-I local supplier' fails to match the L1 price or accepts less than the offered quantity, the next higher 'Class-I local supplier' within the margin of purchase preference shall be invited to match the L1 price for remaining quantity and so on, and contract shall be awarded accordingly. In case some quantity is still left uncovered on Class-I local supplier, then such balance quantity may also be ordered on the L1 bidder".
- b. In the procurements of goods or works, which are covered by para 3(b) of mentioned Govt. circular and which are not divisible in nature, and in procurement of services where the bid is evaluated on price alone, the 'class-I local supplier' shall get purchase preference over 'Class-II supplier' as well as 'Non-local supplier', as per following procedure:
 - Among all qualified bids, the lowest bid will be termed as L1. If L1 is 'Class-I local supplier', the contract will be awarded to L1.
 - If L1 is not 'Class-I local supplier', the lowest bidder among the 'Class-I local supplier', will be invited to match the L1 price subject to Class-I local supplier's quoted price falling within the margin of purchase preference, and the contract shall be awarded to such 'Class-I local supplier' subject to matching the L1 price.
 - iii. In case such lowest eligible 'Class-I local supplier', fails to match the L1 price, the 'Class-I local supplier' with the next higher bid within the margin of purchase preference shall be

invited to match the L1 price and so on and contract shall be awarded accordingly. In case none of the 'Class-I local supplier' within the margin of purchase preference matches the L1 prices, the contract may be awarded to the L1 bidder.

- c. 'Class-II local supplier' will not get purchase preference in any procurement, undertaken by procuring entities.
- F. For this procurement, the local content to categorize a supplier as a Class-I local supplier/ Class-II local supplier/ Non-local supplier and purchase preference to Class-I local supplier, is as defined in Public Procurement (Preference to Make in India), Order 2017 dated 04.06.2020 issued by DPIIT. In case of subsequent orders issued by nodal ministry, changing the definition of local content for the items of the NIT, the same shall be applicable even if issued after issue of this NIT, but before opening of Part-II bids against this NIT.
- G. Procurements where estimated value to be procured is less than Rs. 5 lakhs shall be exempted from GOI order No. P-45021/2/2017-PP (BE-II) dated 04.06.2020.
- H. For procurement of Goods & Services which are divisible in nature, following shall be operated for MSE bidders under Public procurement Policy for the Micro and Small Enterprises (MSEs) Amendment Order, 2019, Ref. No. AA: SSP: MSE: Amndt, dtd. 30.11.2018, Circular No. 44 of 2018-19;-
- a. If L1 bid is not from "Class-I local Supplier" and price quoted by MSE bidder falls within the margin of Purchase preference (L1+15% for MSEs), then 25% of total order quantity of respective item (rounded off to nearest number) shall be awarded to MSE bidder, subject to MSE bidder matching the L1 Price. Out of Remaining 75% quantity, distribution shall be operated as per below sub-clause (2) –
- b. If "Class- I Local Supplier" (Next to L1, other than MSE) quoted price falling within the Margin of Purchase Preference, and "Class-I local supplier" matches the L1 price, then 50% of remaining Quantity (after allocation of 25% to MSE) i.e. 37.5% shall be awarded to local supplier and 37.5% shall be awarded to foreign bidder.

Note: L1 Price refers to lowest evaluated / landed cost to Company.



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Indian Bidders (Version December-2020, Rev: 05)

For Further details, please refer GOI order no. P-45021 / 2 / 2017 - PP (BE-II) dated 04.06.2020.

26. <u>RESTRICTIONS UNDER RULE 144(XI) OF THE GENERAL</u> <u>FINANCIAL RULES (GFRs), 2017</u>

All provisions of Order No. F.No.6/18/2019-PPD of Department of Expenditure (DoE) shall be applicable for this tender enquiry (Order copy is available at https://doe.gov.in/procurement-policy-divisions). Accordingly, any bidder from a country which shares a land border with India (except the countries to which the Govt. of India has extended lines of credit or in which the Govt. of India is engaged in development projects for which list is available at https://www.mea.gov.in/) will be eligible to bid in this tender only if the bidder is registered with the Competent Authority as specified in Annex I of the said Order of DoE.

Updated list of the countries to which lines of credit have been extended or in which development projects are undertaken are available on the Ministry of External affairs website (https://www.mea.gov.in/)

For the purpose of this order, definition of Bidder from a country which shares a land border with India shall be same as defined in the Annex III of the said order.

Registration with the competent authority as stipulated in the said order is responsibility of bidder. Bidder has to submit a certificate certifying following along with offer:

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that bidder (.... Name of Bidder) is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that bidder (.....Name of bidder) fulfils all requirements in this regard and is eligible to be considered"

If the bidder is from such country which shares a land border with India evidence of valid registration by the Competent Authority shall also be attached along with offer."

27. <u>NOTE.</u>

- a) Special conditions of enquiry, if enclosed by BHEL, will supersede the respective standard / general terms of enquiry.
- b) Any other Standard terms and Conditions of the bidder attached / referred against the tender enquiry will be treated as null and void ab initio.
- c) In order to protect the commercial interests of BHEL, it becomes necessary to take action against suppliers / contractors by way of supervision of business dealings, who either fail to perform or are in default without any reasonable cause, cause loss of business / money / reputation, indulged in malpractices, cheating, bribery, fraud or any other misconducts or formation of cartel so as to influence the biding process or influence the price etc. Guide- lines for Suspension of Business Dealings with Suppliers / Contractors shall prevail over which is available at BHEL website <u>http://www.bhel.com</u>
- d) The bidder along with its associate / collaborators / subcontractors / sub-vendors / consultants / service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website <u>http://www.bhel.com</u> and shall immediately bring to the notice of BHEL-Management about any fraud or suspected fraud as soon as it comes to their notice.
- e) "BHEL shall recover the amount of compensation paid to victim(s) by BHEL towards loss of life / permanent disability due to an accident which is attributable to the negligence of contractor, agency or firm or any of its employees as detailed below;
- 1. Victim: Any person who suffers permanent disablement or dies in an accident as defined below.
- 2. Accident: Any death or permanent disability resulting solely and directly from any unintended and unforeseen injurious occurrence caused during the manufacturing / operation and works incidental thereto at BHEL factories/ offices and precincts thereof , project execution , erection and commissioning, services, repairs and maintenance, trouble shooting, serving , overhaul, renovation and retrofitting , trial



HEEP-HARIDWAR, UTTARAKHAND (249403) General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Indian Bidders (Version December-2020, Rev: 05)

operation, performance guarantee testing undertaken by the company or during any works / during working at BHEL Units/ Offices/ townships and premises/ project sites.

3. Compensation in respect of each of the victims:

- (i) In the event of death or **permanent disability** resulting from **Loss of both limbs:** Rs. 10,00,000/-(Rs. Ten Lakh).
- (ii) In the event of other permanent disability: Rs. 7,00,000/- (Rs. Seven Lakh).
- 4. Permanent Disablement: A disablement that is classified as a permanent total disablement under the proviso to Section 2(I) of the Employees Compensation Act, 1923."

Quotations / Bids not in accordance with General Instructions and Standard Terms & Conditions are likely to be ignored.
Page 13 of 13



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Foreign Bidders (Version December-2020, Rev: 05)

Table of Contents

1.	GENERAL 1
2.	ORIGIN OF QUOTATION1
3.	SUBMISSION OF TENDER 1
4.	TENDER OPENING
5.	SPECIFICATION, DRAWINGS & STANDARD
6.	PRICE SCHEDULE
7.	REVERSE AUCTION
8.	DELIVERY TERMS 4
9. P	ENALTY FOR LATE DELIVERY6
10.	PAYMENT TERMS6
11.	BANK GUARANTEE7
12. REP	GUARANTEE / WARRANTY AND CORRESPONDING AIRS / REPLACEMENT OF GOODS7
13.	QUALITY REQUIREMENT7
14.	VALIDITY8
15.	RIGHT OF ACCEPTANCE8
16.	TRANSIT INSURANCE 8
17.	PHYTOSANITARY CERTIFICATE 8
18.	RISK PURCHASE8
19.	FORCE MAJEURE CLAUSE9
20.	NON-DISCLOSURE AGREEMENT9
21.	SETTLEMENT OF DISPUTES/ARBITRATION10
22.	
22.	INFORMATION TO THE BIDDERS 10
23.	INFORMATION TO THE BIDDERS
23.	MAKE IN INDIA (GOVT-NOTIFICATION) 10

1. GENERAL.

These general terms & conditions shall apply to all the Tender Enquiries, notice inviting tenders, request for quotations concerning the supply of goods and / or rendering of services to Bharat Heavy Electricals Ltd., HEEP, Haridwar (hereinafter referred to as BHEL or the Purchaser). In case of placement of order these conditions will become part of purchase order until unless the deviations are specifically agreed by BHEL.

2. ORIGIN OF QUOTATION.

- a) The quotation should preferably be from the principal bidder. However tender specific authorized registered dealer / agent can also submit the bid on their behalf, failing which the quotation is liable to be ignored. BHEL prefers to deal directly with the principal manufacturers.
- b) An agent cannot quote on behalf of more than one principal in the same Tender Enquiry.

3. SUBMISSION OF TENDER.

A) Bid/Quotation must be enclosed in sealed cover on which tender enquiry number and the due date MUST
 BE written and be invariably sent under REGISTERED
 POST / SPEED POST / COURIER/Dropped in the Tender
 Box: addressed as follows: -

Quotation against Enquiry	/ No	Dated:
---------------------------	------	--------

Due on: _____

To,

THE HEAD OF MATERIALS MANAGEMENT, Heavy Electrical Equipment Plant, Bharat Heavy Electricals Limited, HARIDWAR-249403 (Uttarakhand), INDIA.

 B) TENDER BOX is located at TENDER ROOM, Room No. -415, 4th Floor, Main Admin. Building, BHEL-HEEP, Haridwar.



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Foreign Bidders (Version December-2020, Rev: 05)

- C) In case of Three / Two Part Bid, technical bid containing technical offer, duly signed; and un-priced copy of the Price Bid should be kept in one envelope. Price Bid containing only the price should be kept in a separate envelope. All envelopes indicating Part-1 or Part-2 or Part-3 as the case may be to be put in a bigger envelope. Please note that un-priced bid should be the exact replica of price bid but without prices.
- D) The bid / quotation must be posted before due date, keeping allowance for postal transit time. Quotations sent by any mode but not received in time will be ignored. Tender received through authorized E-mail is also acceptable. However, in time submission of tender in tender box shall be the responsibility of the bidder, sent through any mode. Documents submitted with the offer / bid shall be signed and stamped in each page by authorized representative of the bidder.
- E) Any additional documents submitted by supplier / bidder, during processing of registration application / tender or after placement of order shall not be accepted unless it is submitted with forwarding letter and duly signed and stamped.
- F) The bids of the bidders who are on the banned list and also the bids of the bidders, who engage the services of the banned firms, shall be rejected. The cutting / overwriting in the bid / offer must be duly attested by the signatories to the bid. The list of firms banned by BHEL is available on BHEL web site <u>www.bhel.com</u>.
- G) Being PMD vendor, if you are not quoting against this tender enquiry, please send your regret letter positively for our reference with valid reasons for not participating in the tender enquiry. Repeated lack of response on the part of bidder may lead to deletion of such PMD vendor from BHEL's approved vendor list.

- H) The bidders will submit Integrity Pact, duly signed by its authorized signatory, along with their bids wherever estimated tender value is Rs. 2 Crore or more.
- In case of open tender, technically qualified unregistered bidders may apply online for registration through <u>http://www.bhel.com/index.php/vender</u>.
- J) BHEL reserves the right to award tendered quantities among more than one bidder (after acceptance of L1 price by the other bidders). BHEL can also consider awarding of part of the tendered quantity to other than L-1 bidder at L1 counter offered rates, if the quantity offered by the L-1 bidder is less than the quantity tendered for.

If the counter offer is to be given to other qualifying Vendor(s) (e.g. in case of splitting of order, MSE Vendors or the case of Purchase preference to make in India), then the basic price for each qualifying vendor has to be calculated taking the landed cost of the L1 vendor as reference. Basic price will be calculated by working backwards from the landed cost of L1 vendor in following manners;

(1) Counter offer in case of MSE Vendor(s) or the case of Purchase preference to make in India:

Landed cost of L-1 vendor will be reduced by notional loading of late delivery penalty to the extent the same is not applicable to the vendor being counter offered. The result so arrived at will be put as landed cost and basic price to be counter offered will be worked backward therefrom in price structure of the concerned vendor.

(2) Counter offer in case of Splitting:

Landed cost of L-1 vendor will be reduced by custom duty and notional loading of late delivery penalty to the extent the same is not applicable to the vendor being counter offered. The result so arrived at will be put as landed cost and basic price to be counter offered will be worked backward therefrom in price structure of the concerned vendor.



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Foreign Bidders (Version December-2020, Rev: 05)

If the basic price so computed is less than the basic price of the L1 vendor, then this basic price shall be counter offered, otherwise the basic price of L1 vendor shall be counter offered.

- K) BHEL may also reduce the Tender Quantity for offering it to Micro & Small Enterprise (MSE) Indian Vendors as per applicable Government of India rules whose prices are within 15% of L1 prices as per directives of Government of India.
- L) In case of e-Tendering (Online bidding through e portal), offline bid submitted in hard copy or in any other form by the vendor / supplier will not be accepted and will be rejected out rightly. Only e-portal bid will be accepted.

4. TENDER OPENING.

Tender opening is scheduled to start in the Tender Room at 2:00 PM, on the due date. Therefore, bid / quotations must reach this office / tender Box latest by 1:45 PM on due date. Only participating bidders are allowed to attend tender opening. <u>TENDERS RECEIVED AFTER THE SPECIFIED TIME OF</u> <u>THEIR 'SUBMISSION' WILL BE TREATED AS LATE TENDERS</u> <u>AND SHALL NOT BE CONSIDERED UNDER ANY</u> <u>CIRCUMSTANCES.</u> The bidders or their authorized representatives may be allowed to attend tender opening if duly authorized by their principals, through a tender specific letter on that particular day. General authorization letter is not acceptable.

Note: - Foreign bidders willing to attend the bid opening has to provide the requisite documents to the concerned Purchase executives for arranging gate pass for them.

5. SPECIFICATION, DRAWINGS & STANDARD.

- a) Bidders must give their detailed specification in the quotation along with relevant technical literature / catalogue etc. against the tender enquiry.
- b) The Bid should be accompanied with relevant copies of catalogues, drawings or specification as per tender enquiry.

If these documents are not furnished, the offer is liable to be rejected.

- c) Wherever national / international (N/IN) standards are referred, the latest N/IN standards are to be followed.
 Mention year & date of standard revision that shall be followed for the supply.
- d) All Drawings and Standards are proprietary of BHEL. It must not be used in anyway detrimental to the interest of the company.

6. PRICE SCHEDULE.

- a) Kindly quote your prices in figures and words both. In case of any discrepancy in value, the prices quoted in words shall be considered for evaluation and establishing L1 status.
- b) Prices quoted should not be more than the prices quoted to any other BHEL units / offices / divisions. Vendor to submit copy of latest Purchase Order placed by any unit of BHEL for similar items in the technical bid. In case no order has been placed on such items, specific confirmation that no order has been placed on such items should be provided.
- c) Bidders need to quote their prices on CFR any sea port in Mumbai or FCA basis to the named airport in Euro/USD/JPY/UK Pound/SF/Singapore Dollar or any other Internationally freely tradable currency only. The name of the currency should be clearly indicated in your bids.
- d) In case the vendor quotes the prices on CFR basis and BHEL accepts the delivery term on CFR, 0.25 % (of CFR Value) towards port handling charges & 1.5 % (of CFR Value) towards inland freight or actual freight charges as per BHEL freight rate contract whichever is higher, shall be loaded in the prices for ascertaining the landed cost to decide the comparative status of the prices.
- e) However, if BHEL agrees to accept the FOB delivery terms, the FOB prices shall be loaded 2.0% (of FOB Value) towards sea freight, 0.25% (of FOB Value) towards port handling charges & 1.5% (of FOB value) towards inland freight for



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Foreign Bidders (Version December-2020, Rev: 05)

ascertaining the landed cost to decide the comparative status of the prices.

- f) Basis of Evaluation for Bid / Quotation in foreign currency:
- Currency exchange rate (TT selling rates of SBI) for evaluation of the bid / quotation received in foreign currency will be as follows:
- 2. Single part bid Date of tender opening.
- 3. Two / Three-part bid Date of part 1 opening.
- 4. Reverse auction Date of part-1 opening.

Note: - Financial evaluation of L1, L2 ------ status will be on the basis of Landed Cost to BHEL.

f1) Currency of Evaluation shall be INR.

g) Evaluation of Indian Agents Commission:

- BHEL prefers to deal directly with foreign bidder, wherever required, for procurement of Goods. However, if the Foreign Principal desires to avail services of an Indian Agent then the Principal should ensure compliance to applicable guidelines.
- 2. The FOB / CIF price quoted will be deemed to be inclusive of Indian Agency commission. Agency commission if payable shall be converted to Indian Rupees at TT buying rates of exchange ruling on tender opening date which shall not be subjected to any further exchange rate variation, as disclosed by the bidder in his quoted FOB / CIF price will be paid in Indian Rupees on receipt & acceptance of Materials or it's installation at destination, as the case may be. The lower of the TT buying rate prevailing on the date of technical bid opening shall be considered for computation of Agency commission.
- 3. In a tender either the Indian Agent on behalf of Principal / OEM or the Principal / OEM itself can bid, but both cannot bid simultaneously for same item / product in the same Tender. If both OEM and its authorized agent submit their bids separately in that case only the offer of OEM can be considered as an exception.

h) While submitting your bids please clearly indicate:

- 1. Expected weight of goods (lots wise).
- 2. The size of packed goods.
- 3. Whether the goods can be dispatched in containers?
- 4. Port of Loading.
- 5. Port of Discharge.

7. REVERSE AUCTION.

Wherever RA is declared in the special terms and conditions of tender enquiry, following shall be applicable and Bidders to confirm the same:

"BHEL shall be resorting to Reverse Auction (RA) (Guidelines as available on www.bhel.com) for this tender. RA shall be conducted among all the techno-commercially qualified bidders.

Price bids of all techno-commercially qualified bidders shall be opened and same shall be considered as initial bids of bidders in RA. In case any bidder(s) do(es) not participate in online Reverse Auction, their sealed envelope price bid along with applicable loading, if any, shall be considered for ranking."

8. DELIVERY TERMS.

- a) Goods shall be dispatched by sea, unless stated otherwise in the tender enquiry or purchase order.
- b) Specifically confirm your agreement to change the mode by Air at BHEL's request as per mutually agreed terms even after placement of Purchase Orders.
- c) The Trans-shipment is not permissible in case of Break Bulk Cargo. In rest of the case Trans-Shipment condition in BHEL purchase order / letter of credit will be as per Uniform Custom and Practice for documentary credits, UCP 600 of International Standard Bank proceed re-issued by International chamber of Commerce (ICC).



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Foreign Bidders (Version December-2020, Rev: 05)

- d) Any demurrage / Godown Rent payable to the Port Authorities due to any delay attributed by the supplier will be recovered from supplier's account.
- e) A certificate of origin (COO) sanctioned in country of origin from chamber of commerce of the manufacturing country is to be provided mandatorily. However, a certificate of origin (COO) from the countries under the restricted list of Govt. of India will not be acceptable.
- f) For reasons of delay in receipt of documents from suppliers or due to the same being found to be incomplete, and / or faulty, the suppliers shall be responsible to reimburse in all demurrages / wharfages, if any paid by BHEL (for stated reasons).
- g) Load port charges shall be settled by the supplier and not be passed on to BHEL in form of destination charges.
- h) In the event of bidder offering CFR delivery terms for delivery in FCL (Full Container Load), the bidder shall provide 21 days' time free of detention for General Purchase Container / High Cube Container and 14 days for the other types from the date of delivery at delivery port. Wherever the detention free period offered is less than the above specified period, the consequential cost at port of clearance shall be to the account of the bidder. Number of detention free days must be mentioned on Bill of Lading (BL).
- In case of CFR delivery, Port congestion charges or any additional charges claimed by shipping line till delivery at destination port shall be to the bidder's account.
- j) The shipping line should be ready to move the containers to consignees nominated CFS (Container Freight Station) yard and Indian agent of shipping line should issue Cargo Arrival Notice (CAN) 7 days in advance for filing the IGM (Import General Manifest) at discharge port.
- k) In case of CFR contract, bidder to supply the material through a Certified Sea worthy vessel.

- The invoices being issued by shipping lines must be in the name of BHEL. Any loss in GST due to submission of discrepant document will be recovered from supplier / vendor.
- m) While booking the shipment, bidder to also finalize <u>destination charges</u> and the same should appear over BL or agreed tariff to be provided to BHEL before arrival of shipment.
- n) If cargo is stuffed in container, then the same should be allowed to be moved to CFS of importers choice without any additional charges.
- o) NNDs (Non Negotiable Documents) (preferably with OBLs) should be sent to BHEL as detailed in para "p" (below), at least 7 days in advance i.e. 7 days before the arrival of vessel so as to enable BHEL to move the containers to JWC CFS.

p) Information related to OBL / AWB Documents:

- I. Consignee name and address should be same as mentioned in the Purchase order.
- II. Notify party: Name and address will be as follows :(For discharge port Mumbai or Nhava Sheva)
 Bharat Heavy Electricals Limited
 14th Floor World Trade Centre-1, Cuffe Parade, Colaba,
 Mumbai -400005
 Email: msseahwr@bhel.in & ppximx@bhelh.in (in case of Sea Shipments)
 Email: msair@bhel.in and ppximx@bhel.in (in Case of Air shipments)

For latest updating please refer our web site: <u>https://hwr.bhel.com</u>

- III. OBL should clearly mention the Indian agent address and contact details.
- IV. OBL should be issued as per UCP 600.
- V. In case of shipments other than FOB, OBL should mention the container detention free period.



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Foreign Bidders (Version December-2020, Rev: 05)

 VI. In case of placement of an Order, BHEL requests bidder to supply one Original Bill of Lading / AWB directly to BHEL-Mumbai office (Address at Para "p-II") with other nonnegotiable documents to ensure timely clearance of goods. The other Original Bill of Ladings (BL) may be routed through bank based on the other agreed terms and conditions of purchase order.

9. PENALTY FOR LATE DELIVERY.

a) <u>Where items of Purchase Order are independently usable.</u>

Penalty for Late Deliveries shall be applicable @0.5% per week or part thereof on the value of respective delayed supplies subject to a maximum of 10% of the value of respective delayed supplies. Value of delayed supplies will mean the Gross Value payable to the vendor (Before LD) against such supplies excluding taxes and duties.

b) <u>Where the total items are required for a main equipment</u> and items are interdependent.

Penalty for Late Deliveries shall be applicable @0.5% per week or part thereof on total value of Purchase Order subject to maximum of 10% of the total value of Purchase Order. Purchase Order value for this purpose shall be the Total Gross Value payable to the vendor (Before LD) excluding taxes and duties.

"In case of CFR shipment where BHEL accepts the date of inspection as the date of delivery for the purpose of penalty, the vendor has to ensure the shipment within 30 days for containerized cargo and 45 days maximum for Break bulk cargo from the date of inspection. Any delay, beyond this period, which is not attributable to BHEL shall be considered for application of penalty."

"In case of FOB shipment, vendor has to intimate the readiness of cargo after inspection to BHEL nominated Freight forwarder minimum 15 days in advance for containerized cargo and 30 days in advance for Break bulk cargo before the FOB delivery date. The delay in shipment due to late intimation to BHEL nominated freight forwarder

and not attributable to BHEL will be considered for application of penalty".

- c) Bidders are requested to quote the best delivery meeting the delivery requirements. BHEL reserves the right to reject the offers not meeting BHEL's delivery requirement.
- d) Commencement of delivery period shall be reckoned from the date of PO / LOI or any other agreed milestone.
- e) Bidder shall deliver the goods in the manner and schedule agreed under the terms and conditions of Purchase order.
- f) The delivery date for penalty purpose will be the Bill of Lading Date/Air way bill.

10. PAYMENT TERMS.

- a) BHEL's standard payment term is Payment after Receipt and Acceptance of Material / Item at HEEP, BHEL-Store or at desired destination unless otherwise specified in Special Terms attached to the tender enquiry.
- b) BHEL reserves the right to accept or reject the offer of the bidder who quotes the payment term other than BHEL's standard payment term.
- c) Where the payments are through bank, the documents may be presented for negotiation through BHEL designated banks which will be specified in Purchase order. Documents should be submitted within 5 days of vessel sailing and receipt of OBL from shipping line.
- d) In case BHEL agrees for payment through LC, the same shall be irrevocable, unconfirmed and will be opened 30 days prior to the scheduled delivery and will be valid for a period of 60 days.
- e) In case of payment after receipt and acceptance of material, 100% payment will be made within 75 days from the date of invoice subject to submission of non-discrepant documents within 15 days of supply as per terms and conditions of



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Foreign Bidders (Version December-2020, Rev: 05)

Purchase Order. In case any discrepancy found in the documents, BHEL will notify the same to vendor within 7 days of receipt. Vendor has to clear all the discrepancies in one go within 7 days thereafter else the payment may get delayed.

The loading criteria for the different payment terms shall be as under;

Payment Terms		Days of Loading	
After Receipt & Acceptance of material within 75 days of supply.		No Loading	
Against Delive Haridwar.	45		
Against docum (CAD):	45		
Letter of Credit (LC)		120	
No Loading if usa Days.		nce period is > 120	
Usance LC	Loading of days difference i.e difference between 120 days and usance period if the usance period is < 120 days.		
Advance	Delivery Period + 120 Days -Advance Payment Days		

11. BANK GUARANTEE.

In case the bank guarantees are required to be deposited towards security deposit / performance guarantee or for any other purpose as per the terms of this tender enquiry, such bank guarantees of the requisite value in the denominated currency of the purchase order should be from one of the Indian branch of BHEL consortium banks and the bank guarantee should be in the proforma as prescribed by BHEL. The proforma of bank guarantee and the list of consortium banks are displayed at BHEL website www.bhelhwr.co.in. However, in case the bank guarantee is not from BHEL consortium banks, then the bidder has to get the bank guarantee confirmed from one of the Indian branch of BHEL consortium banks and the bank charges for such confirmation will be borne by the bidder.

12. GUARANTEE / WARRANTY AND CORRESPONDING REPAIRS / REPLACEMENT OF GOODS.

- a) Goods shall comply with the specifications for material, workmanship and performance. Unless otherwise specified, the warranty shall be for a period of 18 months from the date of receipt. If the delivery is found non-compliant during the warranty period, leading to rejection, the Seller shall arrange free replacement / repair of goods, within one month from the date of intimation or any mutually agreed period. The rejected goods shall be taken away by the Seller at his cost and replaced on Delivered Duty Paid (DDP) (FOR - BHEL Stores / designated destination basis) within such period. In the event of the Seller's failure to comply, Purchaser may take action as appropriate, including Repair / Replenish rejected goods & disposal of rejections, at the risk & cost of the Seller. In case the defects attributable to Seller are detected during processing of the goods at BHEL or at our subcontractor's works, the Seller shall be responsible for free replacement / repair of the goods as required by BHEL.
- b) In case the material is rejected, then date of replacement will be considered as the actual date of delivery.
- c) The bidder shall have to pay 5% incidental charges while taking back supplied material if it is found rejected on receipt. The rejected material shall be sent back only after receipt of replacement /submission of BG/refund of amount paid.

13. QUALITY REQUIREMENT.

Your bid/quotation should have specific confirmation regarding meeting all our quality requirements such as. (i) Test Certificate (TC), (ii) Guarantee Certificate (GC) / Warranty Certificate (WC), (iii) Quality Plan (QP) (if applicable); and (iv) Pre-Dispatch Inspection at your works (if applicable).



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Foreign Bidders (Version December-2020, Rev: 05)

14. VALIDITY.

The quotation should be valid for a minimum period of 90 days effective from the date of opening of tender, unless otherwise specified in the tender enquiry.

15. RIGHT OF ACCEPTANCE.

- a) BHARAT HEAVY ELECTRICALS LIMITED HARIDWAR reserves the right to reject any or all the bids / quotations without assigning any reason thereof. BHEL also reserves the right to increase or decrease the tendered quantities. Bidders should be prepared to accept order for reduced quantity without any extra charges.
- b) Any discount / revised offer / bids submitted by a bidder on its own shall be considered, provided it is received on or before the due date and time of offer / bid submission (Part-1). Conditional discounts shall not be considered for evaluation of tenders.
- c) Unsolicited discounts / revised offers / bids given after Part-1 bid opening shall not be accepted. No change in price will be permitted within the validity period asked for in the tender enquiry.
- d) In case of changes in scope and / or technical specification and / or commercial terms & conditions having price implication, techno-commercially acceptable bidders shall be asked by BHEL to submit the impact of such changes on their price bids. In case a bidder opts to submit revised price bid instead of impact called for, then latest price bid shall prevail. However, in both situations, original price bid will be necessarily opened.
- e) The bidder whose bid is technically not accepted will be informed & EMD wherever submitted shall be returned after finalization of contract. EMD shall be forfeited in the event of bidder opting out after tender opening.

 BHEL reserves the right to short close the existing Purchase Order / Rate Contract / Work Order or any extension thereof at any stage.

16. TRANSIT INSURANCE.

- a) Transit Insurance will be covered by BHEL under its open Marine Insurance Policy. Seller shall inform dispatch particulars (Purchase Order, RR/GR/BL/ AWB, Invoice value etc.) to Finance department (Store bill Section), BHEL Ranipur Haridwar (Uttarakhand -India) with value of consignment to the Purchaser within 07 days of dispatch for BHEL to arrange insurance coverage in its policy. Failure on the part of seller to inform dispatch particulars will make him liable to pay for any transit damages / losses suffered by the Purchaser.
 - b) If Quoted Prices are inclusive of transit insurance, no weightage shall be given while evaluating the bids for Cost of Insurance, being in BHEL Scope.

17. PHYTOSANITARY CERTIFICATE:

- a) As per the Indian Law, all consignments being imported into India by air / sea require a phytosanitary certificate from the country of origin-if articles have been packed with wooden packaging materials. This is mandatory. Please confirm in your offer / dispatch documents that the required phytosanitary certificate will be submitted.
- b) Packaging material means any kind of material of plant origin used for packing which include hay, straw wood shavings, wood chips, saw dust, wood waste, wooden pallets, dunnage mats, wooden packages, coir pith, peat or sphagnum moss etc.

18. RISK PURCHASE.

In case of abnormal delays (beyond the maximum late delivery period as per Penalty clause) in supplies / defective supplies or non-fulfillment of any other terms and conditions given in Purchase Order, BHEL may cancel the Purchase Order in full or



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Foreign Bidders (Version December-2020, Rev: 05)

part thereof, and may also make the purchase of such material from elsewhere / alternative source at the risk and cost of the supplier. BHEL will take all reasonable steps to get the material from alternate source at optimum cost. If bidder does not agree to the above Risk Purchase Clause, BHEL reserves the right to reject the offer. In case for compelling reasons BHEL accepts the offer without acceptance of this clause by the bidder and in the eventuality of Risk Purchase, appropriate action will be taken as per BHEL extant rules. This will be without prejudice to any other right of BHEL under the contract.

19. FORCE MAJEURE CLAUSE.

Notwithstanding any other thing contained anywhere else in the contract or PO (Purchase Order), In case the discharge of obligation under the contract by either party is impeded or made unreasonably onerous, neither party shall be considered in breach of the contract to the extent that performance of their respective obligation is prevented by an event of Force Majeure that arises after the effective date (PO date).

In the above clause, Force Majeure means an event beyond the control of the parties to the contract which prevents a party from complying with any obligation of the contract including but not limited to:

- a) Act of God (Such as but not limited to earthquake, drought, tidal waves, floods etc.).
- b) War (whether war be declared or not), Hostilities Invasion, Act of foreign enemy etc.
- c) Rebellion, revolution, insurrection, civil war etc.
- d) Contamination of Radio Activity from any nuclear fuel or from any other nuclear waste or any other hazardous materials.
- e) Riots, commotions, strike unless restricted to the employees of supplier.
- f) Acts of terrorism.
- g) Other unforeseeable circumstances beyond the control of the parties and which the affected party cannot avoid even by using its best efforts.
- h) Cancellation of contract by customer.

i) Change in law/ government. Regulation making the performance impossible.

The party claiming to be affected by force majeure shall notify the other party in writing immediately without delay on the intervention and on the cessation of such circumstances.

Irrespective of any extension of time, if an event of force majeure occurs and its effect continues for more than 180 days the affected party shall have right to cancel the contract.

As soon as reasonably practicable following the date of commencement of a Force Majeure Event, and within a reasonable time following the date of termination of a Force Majeure Event, either Party invoking it shall submit to the other Party reasonable proof of the nature of the Force Majeure Event and of its effect upon the performance of the Party's obligations under this Agreement.

The party shall, and shall ensure that its Subcontractors shall, at all times take all reasonable steps within their respective powers and consistent with Good Operating Practices (but without incurring unreasonable additional costs) to:

- a) Prevent Force Majeure Events affecting the performance of the party's obligations under this Agreement;
- **b)** mitigate the effect of any Force Majeure Event; and
- c) Comply with its obligations under this Agreement.

If the war like situation has developed in a country where a seller's works is located in the P.O. or there is political instability and Indian Embassy located in that country forbids or advises for not having any business dealing with the sellers located in such zone / region/ country, then BHEL reserves the right to cancel the order.

20. NON-DISCLOSURE AGREEMENT.

All Drawing and Technical Documents relating to the product or it's manufacture submitted by one party to the other, prior or subsequent to the formation of contract, shall remain property of the submitting party. Drawing, technical documents or other technical information received by one party, shall not without



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Foreign Bidders (Version December-2020, Rev: 05)

the consent of the other party, be used for any other purpose than that, for which they were provided. Such technical information shall not without the consent of the submitting party, otherwise be used or copied, reproduced, transmitted or communicated to a third party. Patterns supplied by BHEL will remain BHEL's property which shall be returned by the bidder on demand to BHEL. Bidder shall in no way share or use such intellectual property of BHEL to promote his own business with others. BHEL reserves the right to claim damages from the bidder, or take appropriate penal action as deemed fit against the bidder, for any infringement of the provisions contained herein.

21. SETTLEMENT OF DISPUTES/ARBITRATION.

Any dispute/difference arising out of or in connection with this contract, including any question regarding its existence, validity or termination, shall be referred to and finally resolved by arbitration under the Arbitration and Conciliation Act, 1996 of India by a Sole Arbitrator to be appointed with mutual consent of the parties. Such Sole Arbitrator shall be either a retired judge of Supreme Court or High Court or District Court of India or some Advocate having practiced in Indian Courts. The seat or place of arbitration shall be New Delhi, India. The language to be used in the arbitration shall be English. The governing law of the contract shall be the substantive law of India. In case the parties fail to agree on the appointment of arbitrator within 2 months of the notice invoking arbitration by one party, then the arbitrator shall be appointed in accordance with the Arbitration and Conciliation Act, 1996 of India.

JURIDICTION: The courts of New Delhi, India, shall have exclusive jurisdiction.

22. INFORMATION TO THE BIDDERS.

- a) Purchase related information is available at our Business-to-Business (B2B) Portal available on our website <u>https://hwr.bhel.com</u>.The user ID & password can be obtained by sending a request to concerned purchase executives.
- b) Intimate your change in mail address or communication address or changes, if any, by email to AGM (SDX/MM) giving your bidder Code.

- c) Please resolve your rejections and unexecuted overdue purchase order immediately which are posted at our B2B Portal, which can be visited through our site <u>https://hwr.bhel.com.</u>
- d) Copy of this Tender Enquiry is being sent through the post/ Courier / E-mail or by any existing means.
- e) Invoice description and Unit of measurement should be strictly in accordance with Purchase order.
- f) Unit of measurement for dimension and weight should be in metric system only.
- g) The Bidder declares that they will not enter into any illegal or undisclosed agreement or understanding, whether formal or informal with other bidder(s). This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
 In case, the bidder is found having indulged in above activities, suitable action shall be taken by BHEL as per extant policies/ guidelines.
- h) Supplier must upload digitally signed e-Invoice on B2B portal for processing of Bills.
 In other cases, inked signed hard copy of Invoice to be submitted for processing of Bills.

23. MAKE IN INDIA (GOVT-NOTIFICATION).

- A. This tender enquiry shall be governed by notification no. P-45021/2/2017-PP (BE-II) dated 04.06.2020 of government of INDIA and subsequent circulars issued afterwards. Accordingly, the minimum local content, the margin of purchase preference and the procedure for preference to make in INDIA shall be adhered.
- B. The margin of purchase preference shall be 20%.
 - 'Class-I local Supplier' means a supplier or service provider, whose goods, services or works offered for



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Foreign Bidders (Version December-2020, Rev: 05)

procurement, has local content equal to or more than 50%, as defined under this order.

- 'Class-II local Supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content more than 20% but less than 50%, as defined under this order.
- 'Non- local Supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content less than or equal to 20%, as defined under this order.
- C. Vendor to specifically confirm if they are Class-I or Class-II local supplier or not as per above mentioned notification. Accordingly, the 'Class-I local supplier'/ 'Class-II local Supplier' at the time of tender, bidding or solicitation shall be required to indicate percentage of local content and provide self-certification that the item offered meets the local content requirement for 'Class-I local supplier'/ 'Class-II local Supplier', as the case may be. They shall also give details of the location(s) at which the local value addition is made.
- D. In cases of Procurement for a Value in Excess of Rs. 10 Crores, the 'Class-I local supplier'/ 'Class-II local Supplier' shall be required to provide a Certificate from the Statutory Auditor or Cost Auditor of the Company (in the case of companies) or from a practicing Cost Accountant or practicing Chartered Accountant (in respect of suppliers other than companies) giving the percentage of Local Content.
- E. <u>Requirement of Purchase Preference</u>: Purchase preference shall be given to 'Class-I local supplier' in procurements undertaken by procuring entities in the manner specified hereunder -
 - a. In the procurements of goods or works, which are covered by para 3(b) of mentioned Govt. circular and which are divisible in nature, the 'class-I local supplier' shall get purchase preference over 'Class-II supplier' as well as 'Non-local supplier', as per following procedure:
 - Among All qualified bids, the lowest bid will be termed as L1. If L1 is 'Class-I local supplier', the contract for full quantity will be awarded to L1.

ii. If L1 bid is not a 'Class-I local supplier', 50% of the order quantity shall be awarded to L1. Thereafter, the lowest bidder among the 'Class-I local supplier' will be invited to match the L1 price for the remaining 50% quantity subject to the class-I local supplier's quoted price falling within the margin of purchase preference, and contract for that quantity shall be awarded to such 'Class-I local supplier' subject to matching the L1 price. In case such lowest eligible 'Class-I local supplier' fails to match the L1 price or accepts less than the offered quantity, the next higher 'Class-I local supplier' within the margin of purchase preference shall be invited to match the L1 price for remaining quantity and so on, and contract shall be awarded accordingly. In case some quantity is still left uncovered on Class-I local supplier, then such balance quantity may also be ordered on the L1 bidder".

b. In the procurements of goods or works, which are covered by para 3(b) of mentioned Govt. circular and which are not divisible in nature, and in procurement of services where the bid is evaluated on price alone, the 'class-I local supplier' shall get purchase preference over 'Class-II supplier' as well as 'Non-local supplier', as per following procedure:

- Among all qualified bids, the lowest bid will be termed as L1. If L1 is 'Class-I local supplier', the contract will be awarded to L1.
- ii. If L1 is not 'Class-I local supplier', the lowest bidder among the 'Class-I local supplier', will be invited to match the L1 price subject to Class-I local supplier's quoted price falling within the margin of purchase preference, and the contract shall be awarded to such 'Class-I local supplier' subject to matching the L1 price.
- iii. In case such lowest eligible 'Class-I local supplier', fails to match the L1 price, the 'Class-I local supplier' with the next higher bid within the margin of purchase preference shall be invited to match the L1 price and so on and contract shall be awarded accordingly.



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Foreign Bidders (Version December-2020, Rev: 05)

In case none of the 'Class-I local supplier' within the margin of purchase preference matches the L1 prices, the contract may be awarded to the L1 bidder.

- c. 'Class-II local supplier' will not get purchase preference in any procurement, undertaken by procuring entities.
- F. For this procurement, the local content to categorize a supplier as a Class-I local supplier/ Class-II local supplier/ Non-local supplier and purchase preference to Class-I local supplier, is as defined in Public Procurement (Preference to Make in India), Order 2017 dated 04.06.2020 issued by DPIIT. In case of subsequent orders issued by nodal ministry, changing the definition of local content for the items of the NIT, the same shall be applicable even if issued after issue of this NIT, but before opening of Part-II bids against this NIT.
- G. Procurements where estimated value to be procured is less than Rs. 5 lakhs shall be exempted from GOI order No. P-45021/2/2017-PP (BE-II) dated 04.06.2020.
- H. For procurement of Goods & Services which are divisible in nature, following shall be operated for MSE bidders under Public procurement Policy for the Micro and Small Enterprises (MSEs) Amendment Order, 2019, Ref. No. AA: SSP: MSE: Amndt, dtd. 30.11.2018, Circular No. 44 of 2018-19;-
- a. If L1 bid is not from "Class-I local Supplier" and price quoted by MSE bidder falls within the margin of Purchase preference (L1+15% for MSEs), then 25 % of total order quantity of respective item (rounded off to nearest number) shall be awarded to MSE bidder, subject to MSE bidder matching the L1 Price. Out of Remaining 75% quantity, distribution shall be operated as per below subclause (2) –
- b. If "Class- I Local Supplier" (Next to L1, other than MSE) quoted price falling within the Margin of Purchase Preference, and "Class-I local supplier" matches the L1 price, then 50% of remaining Quantity (after allocation of 25% to MSE) i.e. 37.5% shall be awarded to local supplier and 37.5% shall be awarded to foreign bidder.

Note: L1 Price refers to lowest evaluated / landed cost to Company.

For Further details, please refer GOI order no. P-45021 / 2 / 2017 - PP (BE-II) dated 04.06.2020.

24. RESTRICTIONS UNDER RULE 144(XI) OF THE GENERAL FINANCIAL RULES (GFRs), 2017

All provisions of Order No. F.No.6/18/2019-PPD of Department of Expenditure (DoE) shall be applicable for this tender enquiry (Order copy is available at https://doe.gov.in/procurementpolicy-divisions). Accordingly, any bidder from a country which shares a land border with India (except the countries to which the Govt. of India has extended lines of credit or in which the Govt. of India is engaged in development projects for which list is available at https://www.mea.gov.in/) will be eligible to bid in this tender only if the bidder is registered with the Competent Authority as specified in Annex I of the said Order of DoE.

Updated list of the countries to which lines of credit have been extended or in which development projects are undertaken are available on the Ministry of External affairs website (https://www.mea.gov.in/)

For the purpose of this order, definition of Bidder from a country which shares a land border with India shall be same as defined in the Annex III of the said order.

Registration with the competent authority as stipulated in the said order is responsibility of bidder. Bidder has to submit a certificate certifying following along with offer:

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that bidder (.... Name of Bidder) is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that bidder (.....Name of bidder) fulfils all requirements in this regard and is eligible to be considered"

If the bidder is from such country which shares a land border with India evidence of valid registration by the Competent Authority shall also be attached along with offer."



HEEP-HARIDWAR, UTTARAKHAND (249403)

General Instructions and Standard Terms & Conditions for bidding against Tender Enquiry (GISTC) For Foreign Bidders (Version December-2020, Rev: 05)

25. NOTE.

- a) Special conditions of enquiry, if enclosed by BHEL, will supersede the respective standard/general terms of enquiry.
- b) Any other Standard terms and Conditions of the bidder attached/referred against the tender enquiry will be treated as null and void ab initio.
- c) In order to protect the commercial interests of BHEL, it becomes necessary to take action against suppliers / contractors by way of supervision of business dealings, who either fail to perform or are in default without any reasonable cause, cause loss of business / money / reputation, indulged in malpractices, cheating, bribery, fraud or any other misconducts or formation of cartel so as to influence the biding process or influence the price etc. Guide- lines for Suspension of Business Dealings with Suppliers / Contractors shall prevail over which is available at BHEL website <u>http://www.bhel.com</u>
- d) The bidder along with its associate / collaborators / subcontractors / sub-vendors / consultants / service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website <u>http://www.bhel.com</u> and shall immediately bring to the notice of BHEL-Management about any fraud or suspected fraud as soon as it comes to their notice.
- e) "BHEL shall recover the amount of compensation paid to victim(s) by BHEL towards loss of life / permanent disability due to an accident which is attributable to the negligence of contractor, agency or firm or any of its employees as detailed below;
- 1. Victim: Any person who suffers permanent disablement or dies in an accident as defined below.
- 2. Accident: Any death or permanent disability resulting solely and directly from any unintended and unforeseen injurious occurrence caused during the manufacturing / operation and works incidental thereto at BHEL factories/ offices and precincts thereof , project execution , erection and

commissioning, services, repairs and maintenance, trouble shooting, serving, overhaul, renovation and retrofitting, trial operation, performance guarantee testing undertaken by the company or during any works / during working at BHEL Units/ Offices/ townships and premises/ project sites.

- 3. Compensation in respect of each of the victims:
- (i) In the event of death or **permanent disability** resulting from **Loss of both limbs:** Rs. 10,00,000/-(Rs. Ten Lakh).
- (ii) In the event of other permanent disability: Rs. 7,00,000/-(Rs. Seven Lakh).

Permanent Disablement: A disablement that is classified as a permanent total disablement under the proviso to Section 2(I) of the Employees Compensation Act, 1923."

Self-certification

As per Government Public procurement order no. P-45021/2/2017-BE-II dt.15.06.2017 & P-45021/2/2017-PP(BE-II) dated 28.05.2018,29.5.2019 & 04.6.2020, it is hereby certifying that we

.....

.....

Details of location at which local value addition will be made is as follows: -

.....

We also understand, false declarations will be in breach of the code of integrity under Rule

175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the general financial rules along with such other actions as may be permissible under law.

Seal & Signature of Supplier

MANUF	ACTURER'S NAME AND	ADDRI	ESS		N.S.	U ST	ANDARI	QUALITY	PLAN		TO	B LLED BY BHE	L	NOTES K	TC	BE FI	LLED	BY BHEL
	VENDOR'S NAME		ITEM	BAR M BLAD		RIAL FOR T	URBINE	QP NO. REV.	QA/CF/QI 02	P/358								
BHEL		-	DRG. NO.			Change and Chan	N. Carlins	0510231946	A MC DUCKSA	an constant								
	March State Press	100	SPEC.	1	HW12	784	and the	STATISTICS.	A DESCRIPTION OF		1.00		12 4450					
Miller eff		0.5.	REV	1	AS PE	R PO	14-10	0101-000	Page 1 of 1	2			12 2.1					
SL. NO.	COMPONENT & OPERATIONS	C	CHARACTE	RISTICS	5	CLASS		PE OF IECK	QUANTUM OF CHECK	REFERENCE		ACCEPTANCE NORMS	FORM/ RECO		M	AGENC	Y N	REMARKS
1	2		3	200		4		5	6	7		8	9	D		10		11
1.	VACCUM	CHE	MICAL COM	MPOSIT	ION	MAJOR	SPECT		EACH	HW12784		HW12784	TC		P	v		
	INDUCTION MELTING						ANAL		HEAT									
2.	ELECTRO SLAG REMELTING (ESR) OR VACCUM ARC REMELTING (VAR)	CHE	MICAL CON	MPOSIT	ION	MAJOR	SPECT		EACH HEAT	HW12784		HW12784	тс		Р	V		
3.	ROLLING / FORGING									AS PER VENI	DOR	S PRACTICE	IR		Р	•	•	
4.	HEAT TREATMENT	TIME	E & TEMPE	RATURI	E	MAJOR	нт сн	ART	100%	HW12784		HW12784	TC		P	v		
5.	STRAIGHTENING	STR/	AIGHTNESS	5		MAJOR	STARI	GHTNESS	100%	HW12784 & AS PER VENI		S PRACTICE	TC		P	v		TO BE PERFORMED IF REQUIRED
6.	HARDNESS TEST	HAR	DNESS			MAJOR	HARD	NESS	10% PER HEAT PER HT BATCH OR MIN 10 BARS WHICHEV ER IS MAXIMU M	HW12784		HW12784	тс		P	w		
7.	MECHANICAL TESTING	TENS % EL	ONGATION	N		MAJOR	MECH TEST	ANICAL	HARDEST AND SOFTEST BAR PER HEAT PER HT BATCH	HW12784		HW12784	тс		Р	w		

MANUFACTURER/SUBCO NTRACTOR Digita INDR/ KUM/ Date:	Blumes	LEGEND: ! RECORDS IDENTIFIED WITH 'TICK' SHALL BE ESSENTIALLY INCLUDED BY CONTRACTOR IN QA DOCUMENTATION. M: MANUFACTURER / SUBCONTRACTOR B: BHEL NOM. INSPECTION AGENCY "TUV" (INDIAN VENDORS) THIRD PARTY INSPECTION AGENCY LRS/TUB/BV (FOR FOREIGN VENDORS) N: CUSTOMER INDICATE 'P' PERFORM 'W' WITNESS AND 'V' VERIFICATION ALL 'W' INDICATED IN COLUMN 'N' SHALL BE 'CHP' OF CUSTOMER	FOR CUSTOMER USE	APPROVED BY
--	--------	---	------------------	-------------

81/m

				0				0	S. Baller	1	1.5					
MANUFA MANUFA	נ א וו נ		INDICVLE (b) M: CO2LOWEI B: BHEF NOV W: WVNDEVCI CONLEVCLO	, PERFORM 'W RTY INSPECTION M. INSPECTION CTURER / SUB R IN QA DOCU	i'nnwi Ju'shall b Millness and Ju On Agency "Tuy" Mentration. The 'tick' shall bi Th'tick' shall bi	AEBIFICATION IB/BV (FOR FC IDIAN VENDO	i Beign Aendoks) Bs)	FOR CUSTON		¥9980	DAED BA					
13	Werking Identification	WARKING		MAJOR	τνωςια	%001	#8L21WH	#8/21WH	LC		Λd					
15.	CHECK DIWENSION¥T AI2N¥T &	AISUAL & D	IWENSION	AOLAM	MEASURE VISUAL &	%001	OKDEK BURCHASE	OKDEK b∩kCH∀2E	JL		* M d		*10% KANDOM			
	CHECK AEKIEIC¥LION IDENLIEIC¥LION \ W¥LEKI¥T	CHEWICYT		AOLAM	SPECTRO	%001	†8/21MH	\$8721WH	DT		M d					
10'	NDT	INTERNAL D		AOLAM	VISUAL DP, UT	%001	#8721WH	\$8721WH	JL		M d					
2.6	DIKECTION LONGITUDINAL EXAMINATION IN METALLOGRAPHIC	GRAIN SIZE MICROSTRU		ROLAM	HIC METALLOGRAP	SPEC АS PER	4%12784	78721WH	JL		A d					
1.6	POSITION TESTING IN EDGE MECHANICAL	% EFONGVJ LENSIFE	on in area lion strength	яогум	TEST MECHANICAL	SPEC AS PER	+8/21WH	78/21MH	TC		M d					
.6	PROCESS QUALIFIC	VIION FOR EACH	N FABRICATION	N EACILITY (F	ОК SUPPLY AS PER											
.8	CENTER POSITION CORNER AND IN EXAMINATION IN METALLOGRAPHIC	MICROSTRL GRAIN SIZE		AOLAM	МЕТАLLOGRAP ИIС	BATCH HT HEAT PER SOFTEST AND HARDEST	†8/21MH	t8/21/WH	JL		A d					
		СВЕЕР ВОР	TURE TEST	MAJOR	СКЕЕЬ	SPEC AS PER	48721WH	#8/21MH	DT		Λd					
I	5		٤	4	Ş	9	L	8		D	01		11			
ON	OPERATIONS	ST 3 2 . 30 1			CHECK	OF CHECK	DOCOMENT	SWYON	KECORDS		W B	N				

11	01	d 6	8	L	9	S		7		£	2	1
N	W B	RECORDS	NORMS	DOCUMENT	OF CHECK	ECK	CHI				OPERATIONS	ON
KEWVEKS	ACENCY	FORMAT OF	VCCEPTANCE	REFERENCE	MUTNAUQ	E OE	dλL	CLASS	SOLLSI	CHARACTER	COMPONENT &	''TS
	State State	Contraction of the second		7	Page 2 of	W. Standill		EK PO	Id S∀	KEV		100.00
States of States					-	Carlos T	Superior Par	\$8L	ZIMH	SPEC.		
					Size March Pa				-	DKG' NO'		BHEL
				ALC: NO STATE	20	KEN.			BLADES		AENDOK S NYWE	iana
		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		858/d	QA/CF/QI	OP NO.	LURBINE	FOR FOR	BAR MATT	ILEW		100215
LED BY BHEL	TO BE FILI	T	TO BE FILLED BY BHE	L	NYJd	YTIJAUQ	STANDARD			DKESS	ACTURER'S NAME AND AD	MANUF



CORPORATE QUALITY ASSURANCE SUB-VENDOR QUESTIONARE

i.	Item/Scope of Sub-contracting								
ii	Address of the registered office		De	tails or C	Contact person				
			(Nam	ne, Desig	nation, Mobile	, Email)			
iii	Name and Address or the propose	ed Sub-vendor's works	De	tails or C	Contact person				
	Where item is being manufacture	ed	(Nam	ne, Desig	nation, Mobile	, Email)			
iv	Annual Production Capacity for contracting	proposed item/scope Of sub-							
v	Annual production for last 3 years sub-contracting	s for proposed item/scope Of							
vi	Details of proposed works				1				
1.	Year of establishment of present	t works							
2.	Year of commencement of manu	facturing at above works							
3.	Details of change in Works addre	ess in past (if any)							
4.	Total Area								
	Covered Area								
5.	Factory Registration Certificate			Details attached at Annexure—F2.1					
6.	Design/ Research & developmen	t set-up		Applica	ble / Not appli	icable if			
	(No. of manpower, their qualificat	tion, machines & tools employed e	etc.)	Contra	acturing is as p ctor/purchaser attached at Ar ble)	^r design)			
7.	Overall organization Chart With I (Design/Manufacturing/Quality e	-		Details	attached at Ar	nnexure-F2.3			
8.	After sales service set up in India,	in case or foreign sub-vendor				licable. Details			
	(Location, Contact Person, Contac	t details etc.)		attach	ed at Annexur	e —F2.4			
9.	Manufacturing process execution	plan with flow chart indicating va	rious	Details	attached at A	nnexure —			
	stages or manufacturing from rav	v material to finished product inclu	uding	F2.5					
	outsourced process if any								
10.	Sources of Raw Material/Major E	Bought Out Item		Details F2.6	s attached at A	nnexure—			
11.	Quality Control exercised during r final testing, packing	receipt of raw material/BOI, in-pro	ocess,	Details a	attached at Anne	exure— F2.7			
12.	Manufacturing Facilities (List of machines, special process	facilities, material handling etc.)		Details a	attached at Anno	exure— F2.8			



CORPORATE QUALITY ASSURANCE SUB-VENDOR QUESTIONARE

13.	Testing f		inmont)			Details att	ached at Anı	nexure— F	2.9
14.		testing equ acturing pr	ocess involves fabrication then-			Applicable	Not applica	ble. Detai	ils
	List of Q	ualified we	lders				at Annexur	e—F2.10)
	List of qu	ualified ND ⁻	Γ personnel With area of specializat	ion		(if applica	able)		
15.	List of c	ut-sourced	manufacturing process with sub-	Vendors na	mes &	Applica	ble Not ap	plicable.	Details
	addresse						d at Anne		
16.	Supply r	eference lis	t including recent supplies				attached at format give		e-F2.12
Projec	t/Package	Customer Name	Supplied Item(Type/Rating/Model/Capacity/Size etc)	PO.ref no./c	late		ed Quantity		f supply
17.	Product Feedbac		y performance feedback letter/cer	tificates/Er	nd User	Attached a	at annexure -	- F2.13	
18.	NO, Age rating)	ency, Date o	est Report (Type Test Details, Repo of testing) for the proposed product d not to be submitted		higher		le / Not ap ttached at		2— F-
19.	Statutor	ry / mandat	ory certification for the proposed p	roduct		Applicab	le / Not ap l at Annexu		
20.	copy of s	9001 certifi	cate				at Annexu	e- F-2.16	;
	(if availa	ble)							
21.	Product	technical o	catalogues for proposed item (if ava	ailable)		Details at	tached at A	nnexure	-F2.17

Company's Seal/Stamp:-

Annexure-F2.12

Project/Package	Customer Name	Supplied Item (Type/Rating/Model/Capacity/Size etc) (must mentioned Size, material grade and weight)	PO.ref no./date	Supplied Quantity	Date of supply

1 . .		(मीएच इँएम)	•		×	· · ·	HW 1	2784	
DATE			संस्था	न क्रय ावान	दिंश (हीप - ह	ारद्वार)	पुष्ठ	का	1.00000111
SIGN & DATE		вура	PLAN		LASE SPECIF	CATION	Page	¹ of	7
INVENTORY	07/2008		BA	R MATERIAL P	OR TURBINE BLADI	ES, NICr20TIAL			
-	Contrast 1	1.0 GENERAL:			10 x 12 10 x	100		r manaza	
हो जिसकावित करता	TLV952010	(Material N	lo. 2.4952).	the quality of b	ars, rolled or forged for	milled turbine bla	ades in grad	de NiCr2	OTIA
西信	Th	2.0 APPLICATI							
-2	Lihe	Bars are re 3.0 CONDITIO	4. 4. 4. 4. 4.		ine and compressor				
lectrics	rrest of				forged and milled, h	est treated cond	ition The	hars sh	ould
Ceavy E	the true		it and free fro	· · ·	torged and marca, in	cat treated cont	acion. me	0013 311	ouiu
Sharat P	ental to	4.0 DIMENSIO				·			
The information on these documents is the property of Bharai Heavy Electrical	way decrimental to the interest of the			1	ng and bulging limits sha	all be as per HWO	93008.		
e prope		5.0 GENERAL							
10 11 21	Limited. It must not be used directly or indirectly in any company	172	i se		it has implemented a q	uality system that	meets the	requiren	nents
pounter	indirec	stipulated	in EN ISO 90	00. The stipulat	ions of the present p	urchasing specific	ation appl	y for al	ll the
these d	ctly or	manufactu	irers' productio	on shops, as well	as their sub-suppliers. If	the material is de	livered for	the first	time
no noi	ed dire	a process	qualification	according to cla	use 12.0 "Process qua	lification" must b	e perform	ed. Sep	arate
former	t be us	process qu	alification is re	equired for each	facility of the manufact	urer.			
Thein	nust no	Before sta	rting the prod	duction, the ma	nufacturer shall provid	e BHEL a manuf	acturing ar	nd inspe	ction
	#	sequence	plan (MIP) for	information aft	er the successful proce	ess qualification.	The MIP es	tablishe	s the
-	and and a second	quality ass	sured sequence	e of operations. I	nformation on internal	and external spec	ifications is	also giv	on to
6	R III								
at areat on					cturer's internal MIP if			ufacture	er ha
i k steet ureer of	में हाजिकारक हो जा	to inform	BHEL about ev	very change in th	e manufacturing or sub	icontractor proces	ss or inspec	ufacture ction pro	er ha
eq aliveria ;	क क्रिंड में हाजिकारक हो ना	to inform BHEL deci	BHEL about ev des if a new o	very change in th qualification pro	e manufacturing or sub cess is necessary. Subc	icontractor proces	ss or inspec	ufacture ction pro	er ha
- 4	स्वान्त्री के हिंदा में हिनिकारक हो जा	to inform BHEL deci permissibl	BHEL about ev des if a new o e only with BH	very change in th qualification pro IEL written appro	e manufacturing or sub cess is necessary. Subc wal.	icontractor proces ontracting of any	ss or inspection manufact	ufacture ction pro uring ste	er ha ocess eps i
- 4	प्रतिकरणक मा प्रतिकर में सिनि का कि में मा	to inform BHEL deci permissibl Also manu	BHEL about ev des if a new o e only with BH ufacturer shall	very change in th qualification pro IEL written appro submit test ins	e manufacturing or sub cess is necessary. Subc wal. tructions for non-destr	icontractor procession contracting of any cuctive and destru-	ss or inspect manufact uctive testi	ufacture ction pro uring ste ng whic	er ha ocess eps i h arc
Adh anti-distant da	भा तथा वर्त्र कर करता के प्रिंत में हिलिकारक हो ता	to inform BHEL deci permissibl Also manu performed	BHEL about ev des if a new o e only with BH ufacturer shall d as part of h	very change in th qualification pro IEL written appro submit test ins is own quality a	e manufacturing or sub cess is necessary. Subc wal. tructions for non-destr assurance measures. T	contractor proces ontracting of any ructive and destru- he test instructio	ss or inspect manufact uctive testi ns shall in	ufacture ction pro uring sto ng whic clude pi	er ha ocess eps i h arc reciso
- 4	રૂજ્યા ગાડા દયા કાળકારમાં આ ગાડા ૬ કળવા પ્રયુપ્ત પ્ર કો તરાક થયોળ , હો બિ સામ્પની સે ક્ષિત મે શાંકિસ્ટર્સ્સ શાંક્	to inform BHEL deci permissibl Also manu performed informatio	BHEL about ev des if a new o le only with BH ufacturer shall d as part of h on on the tests	very change in th qualification pro IEL written appro submit test ins is own quality a	e manufacturing or sub cess is necessary. Subc wal. tructions for non-destr	contractor proces ontracting of any ructive and destru- he test instructio	ss or inspect manufact uctive testi ns shall in	ufacture ction pro uring sto ng whic clude pi	er ha ocess eps i h are recise
Adh anti-distant da	બનાક લુખા, મહાલ ભા શાજ્યમાં આ ગામમાં મળે જ	to inform BHEL deci permissibl Also manu performed informatic sufficient.	BHEL about ev des if a new o e only with BH ufacturer shall d as part of h on on the tests	very change in th qualification pro IEL written appro submit test ins is own quality a	e manufacturing or sub cess is necessary. Subc wal. tructions for non-destr assurance measures. T	contractor proces ontracting of any ructive and destru- he test instructio	ss or inspect manufact uctive testi ns shall in	ufacture ction pro uring sto ng whic clude pi	er ha ocess eps i h are recise
t ft ne ansar arre fill adadisen de	न दर किसी भी तरह प्रयोग , जो कि काम्प्रते	to inform BHEL deci permissibl Also manu performed informatic sufficient. 6.0 MANUFA	BHEL about ev des if a new o e only with BH ufacturer shall d as part of h on on the tests	very change in th qualification pro IEL written appro submit test ins is own quality a	e manufacturing or sub cess is necessary. Subc wal. tructions for non-destr assurance measures. T	contractor proces ontracting of any ructive and destru- he test instructio	ss or inspect manufact uctive testi ns shall in	ufacture ction pro uring sto ng whic clude pi	er has ocess eps is h are recise
A fi me arean arre fel acadient de	कर अवस न अन्य के प्रियम जिला स्थान प्रताप्त कर मान्यता के दित में हानिकारक हो ना प्राइयम कर हे किसी भी तरह प्रयोग, जो कि काम्प्रती के दित में हानिकारक हो ना किया जाए	to inform BHEL deci permissibl Also manu performed informatio sufficient. 6.0 MANUFA 6.1 Melting	BHEL about ev des if a new o e only with BH ufacturer shall d as part of h on on the tests	very change in th qualification pro- IEL written appro- submit test ins is own quality a , illustrated by si	e manufacturing or sub cess is necessary. Subc aval. tructions for non-destr assurance measures. T ketch if necessary. G	contractor proces ontracting of any ructive and destru- he test instructio eneral hints on ot	ss or inspec manufact uctive testi ns shall in her specific	ufacture ction pro uring sto ng whic clude pi cation ar	er ha ocess eps i h arc recise re no
to the arean arres able acadioner of	अग्र भारत में भाग प्रथम गांग का का मान्स्य का मान्स्य का प्र) अद्रमास का से किसी भी तरह प्रधीत , जो कि काम्प्री किया जाए	to inform BHEL deci permissibl Also manu performed informatic sufficient. 6.0 MANUFA 6.1 Melting The alloy	BHEL about ev des if a new of e only with BH ufacturer shall d as part of h on on the tests CTURING	very change in th qualification pro IEL written appro submit test ins is own quality a , illustrated by si de by vacuum i	e manufacturing or sub cess is necessary. Subc wal. tructions for non-destr assurance measures. T ketch if necessary. G nduction melting / e	icontractor process ontracting of any ructive and destru- he test instruction eneral hints on ot lectro-slag re-me	ss or inspec manufact uctive testi ns shall in her specific	ufacture ction pro uring sto ng whic clude pi cation ar	er ha ocess eps i h arc recise re no
TE was used to 20 and and an and all and address and	A Burn and Back at cut and r. at the source of	to inform BHEL deci permissibl Also manu performed informatic sufficient. 6.0 MANUFA 6.1 Melting The alloy	BHEL about ev des if a new of e only with BH ufacturer shall d as part of h on on the tests CTURING	very change in th qualification pro IEL written appro submit test ins is own quality a , illustrated by si de by vacuum i	e manufacturing or sub cess is necessary. Subc aval. tructions for non-destr assurance measures. T ketch if necessary. G	icontractor process ontracting of any ructive and destru- he test instruction eneral hints on ot lectro-slag re-me /AR) process.	ss or inspec manufact uctive testi ns shall in her specific elting (VIN	ufacture ction pro uring ste ng whic clude pi cation ar	er ha occss eps i h arc recise re no
& DATE are over a 2 and and and address of	R. N. Burant we have a set of the set of the second	to inform BHEL deci permissibl Also many performed informatic sufficient. 6.0 MANUFA 6.1 Melting The alloy vacuum in	BHEL about ev des if a new of e only with BH ufacturer shall d as part of h on on the tests CTURING	very change in th qualification pro IEL written appro submit test ins is own quality a , illustrated by si de by vacuum i	e manufacturing or sub cess is necessary. Subc wal. tructions for non-destr assurance measures. T ketch if necessary. G nduction melting / e	icontractor process ontracting of any ructive and destru- he test instruction eneral hints on ot lectro-slag re-me	ss or inspec manufact uctive testi ns shall in her specific elting (VIN	ufacture ction pro uring sto ng whic clude pi cation ar	er ha: ocess eps i: h are recise re no or by cor by
te DATE has a 2 int mean more and meadance de	R. N. Burant we have a set of the set of the second	to inform BHEL deci permissibl Also manu performed informatic sufficient. 6.0 MANUFA 6.1 Melting The alloy vacuum in PSC G TSX	BHEL about ev des if a new of e only with BH ufacturer shall d as part of h on on the tests CTURING shall be made nduction mel	very change in the qualification pro- IEL written appro- submit test ins is own quality a s, illustrated by since the by vacuum in ting / vacuum a	e manufacturing or sub cess is necessary. Subc aval. tructions for non-destr assurance measures. T ketch if necessary. Go nduction melting / e rc re-melting (VIM / V	icontractor process ontracting of any ructive and destru- he test instructio eneral hints on ot lectro-slag re-me /AR) process. नाम	ss or inspec manufact uctive testi ns shall in her specific elting (VIN	ufacture ction pro uring ste ng whic clude pi cation ar A/ESR) e	er has ocess eps is h are recise re no or by cor by
tenter tenter and the second	R. N. Burant we have a set of the set of the second	to inform BHEL deci permissibl Also manu performed informatic sufficient. 6.0 MANUFA 6.1 Melting The alloy vacuum in PSC C TSX QAX	BHEL about ev des if a new of e only with BH ufacturer shall d as part of h on on the tests CTURING shall be mad nduction mel	very change in the qualification pro- IEL written appro- submit test ins is own quality a s, illustrated by since ting / vacuum in ting / vacuum a	e manufacturing or sub cess is necessary. Subc wal. tructions for non-destr assurance measures. T ketch f if necessary. G nduction melting / e rc re-melting (VIM / \	icontractor process ontracting of any ructive and destru- he test instructio eneral hints on ot lectro-slag re-me /AR) process.	ss or inspec manufact uctive testi ns shall in her specific elting (VIN	ufacture ction pro uring ste ng whic clude pi cation ar A/ESR) o	er has ocess eps is h are recise recise re no or by देनॉक b DATE
tenter tenter and the second	R. N. Burant we have a set of the set of the second	to inform BHEL deci permissibl Also manu performed informatic sufficient. 6.0 MANUFA 6.1 Melting The alloy vacuum in PSC G TSX	BHEL about ev des if a new of e only with BH ufacturer shall d as part of h on on the tests CTURING shall be made nduction mel	very change in the qualification pro- IEL written appro- submit test ins is own quality a s, illustrated by since the by vacuum in ting / vacuum a	e manufacturing or sub cess is necessary. Subc aval. tructions for non-destr assurance measures. T ketch if necessary. Go nduction melting / e rc re-melting (VIM / V	icontractor process ontracting of any ructive and destru- he test instructio eneral hints on ot lectro-slag re-me /AR) process. नाम	ss or inspect manufacture testi ns shall in her specific elting (VIN	ufacture ction pro uring ste ng whic clude pi cation ar A/ESR) o	er ha: ocess eps i: h are recise recise re no or b cation to b cation to b cation to b cation
SIGN & DATE has going at 0 int user and scientificant of	19 19 16 20 But and	to inform BHEL deci permissibl Also many performed informatic sufficient. 6.0 MANUFA 6.1 Melting The alloy vacuum in PSC C TSX QAX सहमस विभाग	BHEL about ev des if a new of e only with BH ufacturer shall d as part of h on on the tests CTURING shall be made nduction mel	de by vacuum i ting / vacuum a	e manufacturing or sub cess is necessary. Subo ival. tructions for non-destr assurance measures. T ketch if necessary. Go nduction melting / e rc re-melting (VIM / \ विम्रांणकर्ता WORKED BY जांचकर्ता CHECKED BY	econtractor process ontracting of any nuctive and destru- he test instruction eneral hints on ot lectro-slag re-me /AR) process.	ss or inspec manufactu uctive testi ns shall in her specific elting (VIN	ufacture ction pro- uring ste ng whic clude pi cation ar A/ESR) of cation ar	er ha ocess eps i h ard recise re no or b crise to b to b to b to b to b to b to b to b
SIGN & DATE has the at a set and a set of the set of th	19 19 16 20 But and	to inform BHEL deci permissibl Also many performed informatic sufficient. 6.0 MANUFA 6.1 Melting The alloy vacuum in PSC C TSX QAX STE-TB	BHEL about ev des if a new of e only with BH ufacturer shall d as part of h on on the tests CTURING shall be made nduction mel	de by vacuum i ting / vacuum a	e manufacturing or sub cess is necessary. Subo aval. tructions for non-destr assurance measures. T ketch if necessary. Go nduction melting / e rc re-melting (VIM / V निर्माणकर्ता WORKED BY जांचकर्ता CHECKED BY पर्यवेक्षणकर्ता SUPERVISED BY	icontractor process ontracting of any ructive and destru- he test instruction eneral hints on ot lectro-slag re-me /AR) process.	ss or inspec manufactu uctive testi ns shall in her specific elting (VIN	ufacture ction pro- uring ste ng whic clude pi cation ar A/ESR) of cation ar M/ESR) of cation ar	er ha ocess eps i h ard recise re no or b crise to b to b to b to b to b to b to b to b
SIGN & DATE has other at 0 int areas and schedulers of	19 19 16 20 But and	to inform BHEL deci permissibl Also many performed informatic sufficient. 6.0 MANUFA 6.1 Melting The alloy vacuum in PSC C TSX QAX सहमस विभाग	BHEL about ev des if a new of e only with BH ufacturer shall d as part of h on on the tests CTURING shall be made nduction mel	de by vacuum i ting / vacuum a	e manufacturing or sub cess is necessary. Subo ival. tructions for non-destr assurance measures. T ketch: if necessary. Go nduction melting / e rc re-melting (VIM / \ निर्माणकर्ता WORKED BY जांचकर्ता CHECKED BY परीक्षणकर्ता SUPERVISED BY स्वीकृत्ति : संस्थ	icontractor process ontracting of any fuctive and destru- he test instruction eneral hints on ot lectro-slag re-me /AR) process. लाम NAME SUBODH RANA ASHISH RANJAN GOPAL KRISHNA	ss or inspec manufacture uctive testi ns shall in her specific elting (VIN	ufacture ction pro- uring ste ng whic clude pi cation ar (/ESR) (cation ar (/ESR) (cation ar (/ESR) (cation ar (/ESR) (cation ar)	er ha pocess eps i h and recisi re no or b crite to b to b crite to b crite crite to b crite to crite to crite to crite c crite crite c crite c crite c crite c crite c crite c crite c crite c crite c crite c crite c crite c crite c crite c crite c c crite c crite c crite c c crite c crite c crite c c crite c c crite c crite c crite c c crite c crite c c crite c crite c crite c c c c c c c c c c c c c c c c c c c
Steriet an Idailan	10 LO R N BUT IN A REAL AS A	to inform BHEL deci permissibl Also manu performed informatic sufficient. 6.0 MANUFA 6.1 Melting The alloy vacuum in PSC TSX QAX STE-TB सहमत विभाग AGREED DEPTT.	BHEL about ev des if a new of e only with BH ufacturer shall d as part of h on on the tests CTURING shall be mad nduction mel with the mad nduction mel with the mad nduction mel with the mad	de by vacuum i ting / vacuum a	e manufacturing or sub cess is necessary. Subo wal. tructions for non-destr assurance measures. T ketch if necessary. Go nduction melting / e rc re-melting (VIM / \ निर्माणकर्ता WORKED BY जांचकर्ता CHECKED BY पर्यवेक्षणकर्ता SUPERVISED BY स्वीकृति : संस्थ APPROVED : PLANT निर्माण	icontractor process ontracting of any nuctive and destru- he test instructio eneral hints on ot lectro-slag re-me /AR) process. लाम NAME SUBODH RANA ASHISH RANJAN GOPAL KRISHNA GOPAL KRISHNA	ss or inspect manufacture testi ns shall in her specific elting (VIN	ufacture ction pro- uring ste ng whic clude pi cation ar A/ESR) of tomat we f mature a tomat we f auan tomat auan tomat we f auan tomat auan tomat auan tomat we f auan tomat auan tomat auan toma	er has ocess eps is h are recise recise re no or by called b bare s of s is for has b bare s of s is for has called s of s is for has recise recis recise recise re
l Idailer & DATE war under 27.0 mit munser seine schreidigen 46	19 19 16 20 But and	to inform BHEL deci permissibl Also manu performed informatic sufficient. 6.0 MANUFA 6.1 Melting The alloy vacuum in PSC TSX QAX STE-TB सहमत विभाग AGREED DEPTT.	BHEL about ev des if a new of e only with BH ufacturer shall d as part of h on on the tests CTURING shall be mad nduction mel with Name	de by vacuum i ting / vacuum a	e manufacturing or sub cess is necessary. Subc wal. tructions for non-destr assurance measures. T ketch if necessary. G nduction melting / e rc re-melting (VIM / \ निर्माणकर्ता WORKED BY जांचकर्ता CHECKED BY पर्यवेक्षणकर्ता SUPERVISED BY स्वीकृति : संस्थ APPROVED : PLANT	icontractor process ontracting of any fuctive and destru- he test instruction eneral hints on ot lectro-slag re-me /AR) process. गाम NAME SUBODH RANA ASHISH RANJAN GOPAL KRISHNA	ss or inspect manufacture testi ns shall in her specific elting (VIN	ufacture ction pro- uring ste ng whic clude pi cation ar (/ESR) of tomat use i inature s	er has beess eps is h are recise re not or by caller boor by caller caller boor by caller boor by caller boor by caller boor by caller boor by caller boor boor boor caller

N.	G	एम ई एम	संस्थान	ं क्रय वि	ननिर्त्रञ	(- A	हरिद्वार)	HW 1	2784	
ud BRTIBICS		11				1914	Giethie/	पृष्ठ	का	
दिनोंत एवं क्रमाबल SIGN & DATE		nți en	PLANT	PURCHA (HEEP	SE SPE		CATION	Page	² of	'7
सामयी चुकी संख्या को SUPERSEDES अधिकतित करता है INVENTORY NO.		and other in Forging: The ingot co throughout	iscard shall be n perfections. nversion shall be the forged bar. 1	e conducted in a	such a manne	r as to pro	oduce substa	ntially unifo	m structu	
COPYRIGHT AND CONFIDENTIAL as this decuments is the property of Bhuat Heavy Electrical Limited it must work or indirectly in any way detrimental to the interest of the company.	0.4	The forging Solution tre Stabilizing: Precipitatio The forming section a h	shall be heat tre atment : 4	8 h at 1050 - 10 24 h at 845°C (d 16 h at 700°C (d e solution treat	80°C, Air cooli : 10°C), Air co : 10°C), Air co ment shall be	ng oling oling chosen ir	n such a way	that over th		
COPYRIGHT AND The information on this decuments is the proper not be used directly or indirectly in any way	7.1	Chemical Co	S AND TESTS: mposition: s in weight % (ac 0.04 - 0.10 ≤ 0.010 1.80 - 2.70 ≤ 1.50	0 Si S	.0269 table 1) ≤ 0.30 ≤ 0.010 Rest 1.0 - 1.8	N (An ≤ Cr 18.0 Co ≤	1.00 0-21.0 1.00		1
स्वतत्वाधिकार पूर्व गोपनीय इस प्रदेव में ती गई पूक्षना भारत हेवी इंडीक्ट्रेंकल्ड जी सन्तरित हे हलका प्रत्येय एवं अप्रत्या अप में किसी भी तरह प्रयोग, को कि मेंपनी से हालिकारक हो व किया जाप ।		Cu Position of t Specimen e direction. Th Details conc finished part specimen loo Mechanical It shall be e section. The section. The test unit) used. Any o shall be per	≤ 0.20 est pieces: xtraction is perf ie positions of th erning the locat ts, are to be agr cation.	Ti + Al ormed as per a e specimens giv ions of specime eed upon by Bi required mecha the strength of the by a hardness ist method shall of each test ur	≥ 3.50 attachment 1. ren in the atta ens, both at t HEL and must nical properti te bars of a giv test per EN IS I be subject to	The spec ichment a par mater t be given es are acl ven delive O 6506-1 o prior ag	timens are to are meant to rial and at b in the MIP, hieved throu ery (per melt . HBW 10/30 reement wit	serve only a ar material i including a ghout the er and heat tre 00 or HBW 5 h BHEL. The	s an exam nade of s sketch of ntire bar c atment ba 5/750 shal hardness	nple, semi the ross atch be test
ABION & DATE		Mechanical testing shall specimen wi shall be per properties m	properties shall to be conducted th $L_0 = 50 \text{ mm a}$ formed with st nust be demonstr	be determined of according to $ $ according to $ $ and d ₀ = 10 mm tandard-test pi	EN 10002 res) or ASTM E8 eces with V-	sp. ASTM 3 (Standar notch ac	E8M (preferred specimen cording to I	erred round per fig. 8). I	tension mpact tes	test sting
INVENTORY NO. P-4101	REV	<u></u> ≈ुठ3			2 1 3 3	निर्माणकर्ता WORKED BY जॉचकर्ता CHECKED BY	Ashish Ranjan Gopal Krishnan	Alena	20.9 1 20.9	· · · · · ·


Name Sitestime Total Reference HW 12784 Yes PLANT PURCHASE SPECIFICATION Page 3 of Page 3 of Page 3 of Image: Strength Nmm² (%6) array Non-2 0.2% Tensile Elongation Image: Strength Image: Strength Non-2 0.000-1300 217 217 220 ⁻¹ 2600 Non-2 0.000-1300 217 217 220 ⁻¹ 2600 Num? N/mm² N/mm² (%6) Broot Stress Compare Non-3 0.000-1300 217 217 220 ⁻¹ 2600 Non-3 0.000-1300 217 217 220 ⁻¹ 2600 Non-3 0.000-1300 217 217 20 ⁻¹ 2600 Non-3 0.000-1300 217 217 220 ⁻¹ 2600 Non-3 0.000-1300 217 217 220 ⁻¹ 2600 Non-3 0.000-1300 217 217 220 ⁻¹ 2600 Non-3 0.000-1300 217 217 210 ⁻¹ 20		DOC REV NO.: 3											
The following values have to be reached: Create provide difference The following parameters: The test temperature: $T = 750^{\circ}$ C Proof stress $q_{3} = 30^{\circ}$ for the state of the transition of the treaseling to the transition the transition trans	3		a ana an							HW	12	784	1
Openant (REEP - HARIDWAR) Image: Strength Tensile Elongation area image: Image	ATE ATE					SDC	ापानदर	क्ष (राप –	डारद्वार)	पुष्ठ		का	
N/mm ² N/mm ² N/mm ² ≥ 17 ≥ 17 $\geq 20^{13}$ $\geq 260^{13}$ ¹³ Average of 3 Charpy V-notch specimens. In addition a short time creep rupture test according to DIN EN 10291 or other agreed standard has to carried out, using the following parameters: Test temperature: T = 750°C Proof stress $\sigma_{0} = 310$ MPa The following values have to be reached: Creep rupture time $t_{\infty} \ge 100$ h Elongation A $\ge 4.\%$ Reduction of area $Z_{0} \ge 4.\%$ If no creep rupture is occurred after 100 h, the proof stress can be increased for further 30 MPa a every 24 h, until the creep rupture occurred. 7.2.2 Grain Size Check: The metallographic examination has to be carried out at the beginning and at the end of the hardest softest bar and in each case in the corner and in the center of the cross section. A substant homogeneous microstructure with a grain size 3-6 according to ASTM E 112 has to be achieved in cross section. A grain size DUPLEX ALA 3 according to ASTM E 130 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and inner Quality / NDE: 7.2.13 Scope of Inspection: Following NDE shall be performed in delivery condition: • Visual inspection of all bars • verification test of all bars • verification test of all bars • look PT of all bars without the face areas according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar accoustic proper	दिल्लोक एवं क & D	Ш,	ļΠ	PLA	NT P				ATION	1	3	of	7
N/mm² N/mm² 217 217 220 ⁻¹¹ 2260 ¹⁰ Average of 3 Charpy V-notch specimens. In addition a short time creep rupture test according to DIN EN 10291 or other agreed standard has to carried out, using the following parameters: Test temperature: T = 750°C Proof stress 7 217 217 220 ⁻¹¹ 2260 10 Average of 3 Charpy V-notch specimens. In addition a short time creep rupture test according to DIN EN 10291 or other agreed standard has to carried out, using the following parameters: Test temperature: T = 750°C Proof stress The following values have to be reached: Creep rupture time t _n ≥ 100 h Elongation A ₂ ≥ 4 % Reduction of area Z _n ≥ 4 % If no creep rupture is occurred after 100 h, the proof stress can be increased for further 30 MPa a every 24 h, until the creep rupture occurred. 7.2.2 Grain Size Check: The metallographic examination has to be carried out at the beginning and at the end of the hardest softest bar and in each case in the corner and in the center of the cross section. A substamt homogeneous microstructure with a grain size 3 - 6 according to ASTM E 132 has to be achieved in cross section. A grain size DUPLEX ALA 3 according to ASTM E 130 bis acceptable proved by the BHE. Reduction of anount of testing can be agreed with the BHEL For purpose the manufacturer has to provide adequate results. 7.3.3 Outer and Inner Quality / NDE: 7.3.1 Scope of Inspection: Following NDE shall be performed in delivery condition: • Visual inspection of all bars • verification test of all bars • Verification test of all bars • Complete utrassonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or ot agreed standard (e.g. AMS STD 2154) has to	8					•							
N/mm ² N/mm ² N/mm ² ≥ 17 ≥ 17 $\geq 20^{13}$ $\geq 260^{13}$ ¹³ Average of 3 Charpy V-notch specimens. In addition a short time creep rupture test according to DIN EN 10291 or other agreed standard has to carried out, using the following parameters: Test temperature: T = 750°C Proof stress $\sigma_{0} = 310$ MPa The following values have to be reached: Creep rupture time $t_{\infty} \ge 100$ h Elongation A $\ge 4.\%$ Reduction of area $Z_{0} \ge 4.\%$ If no creep rupture is occurred after 100 h, the proof stress can be increased for further 30 MPa a every 24 h, until the creep rupture occurred. 7.2.2 Grain Size Check: The metallographic examination has to be carried out at the beginning and at the end of the hardest softest bar and in each case in the corner and in the center of the cross section. A substant homogeneous microstructure with a grain size 3-6 according to ASTM E 112 has to be achieved in cross section. A grain size DUPLEX ALA 3 according to ASTM E 130 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and inner Quality / NDE: 7.2.13 Scope of Inspection: Following NDE shall be performed in delivery condition: • Visual inspection of all bars • verification test of all bars • verification test of all bars • look PT of all bars without the face areas according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar accoustic proper	TORY									Hard	ines	s	
N/mm² N/mm² ≥ 17 ≥ 17 $\geq 20^{-1}$ $\geq 260^{-1}$ ¹⁰ Average of 3 Charpy V-notch specimens. In addition a short time creep rupture test according to DIN EN 10291 or other agreed standard has to carried out, using the following parameters: Test temperature: T = 750°C Proof stress $T = 750°C$ Proof stress $\sigma_{e} = 310 MPa$ The following values have to be reached: Creep rupture time $t_{e} \ge 100 h$ Elongation $A_{e} \ge 4\%$ Reduction of area $Z_{e} \ge 4\%$ If no creep rupture is occurred after 100 h, the proof stress can be increased for further 30 MPa a every 24 h, until the creep rupture occurred. 7.2.2 Grain Size Check: The metallographic examination has to be carried out at the beginning and at the end of the hardest softest bar and in each case in the corner and in the center of the cross section. A substamt homogeneous microstructure with a grain size 3 -6 according to ASTM E 132 has to be achieved in cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 12 and to be approved by the BHE. Reduction of anound rof testing can be agreed with the BHEL For purpose the manufacturer has to provide adequate results. 7.3.3 Outer and Inner Quality / NDE: 7.3.1 Scope of Inspection: Following NDE shall be performed in delivery condition: • Visual inspection of all bars • verification test of all bars • Verification test of all bars • Verification test of all bars • Complete utrassonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block an oreference block have to be manufactured ou	SUPE		proof S	strengtn	Stren	gth					D14/	:	!
Note that is a short time creep rupture test according to DIN EN 10291 or other agreed standard has to carried out, using the following parameters: Test temperature: $T = 50^{\circ}$ Provide a short time creep rupture test according to DIN EN 10291 or other agreed standard has to carried out, using the following parameters: Test temperature: $T = 750^{\circ}$ Proof stress $0_{\sigma} = 310$ MPa The following values have to be reached: Creep rupture time Creep rupture time $t_m \ge 1000$ h Elongation $A_m \ge 4.\%$ Reduction of area $Z_m \ge 4.\%$ If no creep rupture is occurred after 100 h, the proof stress can be increased for further 30 MPa a every 24 h, until the creep rupture occurred. 7.2 Grain Size Check: The metallographic examination has to be carried out at the beginning and at the end of the hardest softest bar and in each case in the corner and in the center of the cross section. A substantion cross section. A grain size DUPLEX ALA 3 according to ASTM E 132 has to be achieved in cross section. A grain size DUPLEX ALA 3 according to ASTM E 132 has to be achieved in cross section. A grain size DUPLEX ALA 3 according to ASTM E 132 has to be according to ASTM E 112 has to be achieved in and to be approved by the BHEL Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.3.3 Outer and Inner Quality / NDE: 7.3.3 Outer and Inner Quality / NDE:			N/r	nm²	N/m	m²	1101	(70)	42)		DVV		
¹³ Average of 3 Charpy V-notch specimens. In addition a short time creep rupture test according to DIN EN 10291 or other agreed standard has to carried out, using the following parameters: Test temperature: $T = 750^{\circ}$ C Proof stress $\sigma_0 = 310$ MPa The following values have to be reached: Creep rupture time $t_n \ge 100$ h Elongation $A_u \ge 4\%$ Reduction of area $Z_u \ge 4\%$ If no creep rupture is occurred after 100 h, the proof stress can be increased for further 30 MPa a every 24 h, until the creep rupture occurred. 7.22 Grain Size Check: The metallographic examination has to be carried out at the beginning and at the end of the hardest softest bar and in each case in the corner and in the center of the cross section. A substant homogeneous microstructure with a grain size 3 -6 according to ASTM E 112 has to be achieved in cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 11 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 7.2.3 Outer and Inner Quality / NDE:												·	
¹³ Average of 3 Charpy V-notch specimens. In addition a short time creep rupture test according to DIN EN 10291 or other agreed standard has to carried out, using the following parameters: Test temperature: T = 750°C Proof stress σ ₀ = 310 MPa The following values have to be reached: Creep rupture time t _m ≥ 100 h Elongation f area Z _u ≥ 4 % If no creep rupture is occurred after 100 h, the proof stress can be increased for further 30 MPa a every 24 h, until the creep rupture occurred. 7.2.2 Grain Size Check: The metallographic examination has to be carried out at the beginning and at the end of the hardest softest bar and in each case in the corner and in the center of the cross section. A substant homogeneous microstructure with a grain size 3 -6 according to ASTM E 112 has to be achieved in cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 7.2.31 Scope of Inspection: • Visual inspection of all bars • verification test of all bars • verification test of all bars • verification test of all bars • Visual inspection of all bars • verification test of all bars • Visual inspection final bars 1.000% PT of all bars without the face areas according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The callbration block and reference block have to be manufactured out of materials with similar acoustic properties similar surface conditions. The test has to be performed only by employees with level 2 certi according to EM 473 or SNT-TC-1A.	मित कर मित कर		>1	500	1000	1200	> 17	17	> 20 1		100	_	
¹⁾ Average of 3 Charpy V-notch specimens. In addition a short time creep rupture test according to DIN EN 10291 or other agreed standard has to carried out, using the following parameters: Test temperature: $T = 750^{\circ}$ Proof stress $\sigma_0 = 310$ MPa The following values have to be reached: Creep rupture time $t_m \ge 100$ h Elongation $A_u \ge 4\%$ Reduction of area $Z_u \ge 4\%$ If no creep rupture is occurred after 100 h, the proof stress can be increased for further 30 MPa a every 24 h, until the creep rupture occurred. 7.22 Grain Size Check: The metallographic examination has to be carried out at the beginning and at the end of the hardest softest bar and in each case in the corner and in the center of the cross section. A substant homogeneous microstructure with a grain size 3 -6 according to ASTM E 112 has to be achieved in cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 11 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 7.2.3 Outer and Inner Quality / NDE:	सामग्रा । अधिका				1000-	1500	217	217	2 20 4	2.	260		
The following values have to be reached: Creep rupture time $t_m \ge 100$ h Elongation $A_u \ge 4\%$ Reduction of area $Z_u \ge 4\%$ If no creep rupture is occurred after 100 h, the proof stress can be increased for further 30 MPa a every 24 h, until the creep rupture is occurred after 100 h, the proof stress can be increased for further 30 MPa a every 24 h, until the creep rupture is occurred after 100 h, the proof stress can be increased for further 30 MPa a every 24 h, until the creep rupture is occurred after 100 h, the proof stress can be increased for further 30 MPa a every 24 h, until the creep rupture is occurred out at the beginning and at the end of the hardest softest bar and in each case in the corner and in the center of the cross section. A substant homogeneous microstructure with a grain size 3 -6 according to ASTM E 112 has to be achieved in cross section. A grain size DUPLEX ALA 3 according to ASTM E 120 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 7.3.1 Scope of Inspection: • Visual inspection of all bars • verification test of all bars • verification test of all bars • verification test of all bars • Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties similar surface conditions. The test has to be performed only by employees with level 2 certi according to EN 473 or SNT-TC-1A. • 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT.		1)	Average of	f 3 Charpy	V-notch s	pecime	ns.						
 cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 6. Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties is similar surface conditions. The test has to be performed only by employees with level 2 certificactoring to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 	must							to DIN EN 102	91 or other a	reed stan	dard	t has	to b
 cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 7.2.3 Outer and Inner Quality / NDE: 7.2.3 Outer and Inner Quality / NDE: Following NDE shall be performed in delivery condition: Visual inspection of all bars verification test of all bars Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties is similar surface conditions. The test has to be performed only by employees with level 2 certificacion to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 	nited. It												,
 cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 6. Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties is similar surface conditions. The test has to be performed only by employees with level 2 certificactoring to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 	1 Per		•									*14.45	
 cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 6. Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties is similar surface conditions. The test has to be performed only by employees with level 2 certificactoring to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 	ITAL fectric	Pr	oof stress		$\sigma_{o} = 31$	10 MPa			. •				
 cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 6. Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties is similar surface conditions. The test has to be performed only by employees with level 2 certificactoring to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 	ENV Beau	Тh	e followin	g values h	ave to be	reached	4.					1	
 cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 6. Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties is similar surface conditions. The test has to be performed only by employees with level 2 certificactoring to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 	(FIL) surat H												
 cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 6. Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or ot agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties is similar surface conditions. The test has to be performed only by employees with level 2 certificactoring to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 		El	ongation										
 cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 6. Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or ot agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties is similar surface conditions. The test has to be performed only by employees with level 2 certificactoring to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 	ND Picher	Re	duction o	f area	$Z_u \ge 4$	%							
 cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 7.2.3 Outer and Inner Quality / NDE: 7.2.3 Outer and Inner Quality / NDE: 7.2.3.1 Scope of Inspection: Following NDE shall be performed in delivery condition: Visual inspection of all bars verification test of all bars Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties similar surface conditions. The test has to be performed only by employees with level 2 certification test of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 	is the provide the provide the provident of the provident	₁ .			• • • • • • • • • • •	- 61	66 E. 26					.	
 cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 7.2.3 Outer and Inner Quality / NDE: 7.2.3 Outer and Inner Quality / NDE: 7.2.3.1 Scope of Inspection: Following NDE shall be performed in delivery condition: Visual inspection of all bars verification test of all bars Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties similar surface conditions. The test has to be performed only by employees with level 2 certification test of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 	ments							of stress can b	e increased t	or further	30	MPa	afte
 cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 6. Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties is similar surface conditions. The test has to be performed only by employees with level 2 certificactoring to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 	PYF r docu or ind		CI J & T I U V		cepiupu		iieu.						
 cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 6. Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or ot agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties is similar surface conditions. The test has to be performed only by employees with level 2 certificactoring to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 	C C C	7.2.2 G	rain Size (heck:									
 cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 6. Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or ot agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties is similar surface conditions. The test has to be performed only by employees with level 2 certificactoring to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 	used o												
 cross section. A grain size DUPLEX ALA 3 according to ASTM E 930 is acceptable provided, that a g size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 6. Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or ot agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties is similar surface conditions. The test has to be performed only by employees with level 2 certificactoring to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 	a infor not be												
size of 1 is not exceeded. A deviating microstructure has to be documented according to ASTM E 1 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 7.2.3.1 Scope of Inspection: Following NDE shall be performed in delivery condition: • Visual inspection of all bars • verification test of all bars • verification test of all bars • Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or of agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties similar surface conditions. The test has to be performed only by employees with level 2 certific according to EN 473 or SNT-TC-1A. • 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT.	4												
 and to be approved by the BHEL. Reduction of amount of testing can be agreed with the BHEL. For purpose the manufacturer has to provide adequate results. 7.2.3 Outer and Inner Quality / NDE: 7.2.3.1 Scope of Inspection: Following NDE shall be performed in delivery condition: Visual inspection of all bars verification test of all bars verification test of all bars Complete ultrasonic inspection (UT) of all bars according to EN 10308 type 1a (table 1) or ot agreed standard (e.g. AMS STD 2154) has to be carried out. The calibration block and reference block have to be manufactured out of materials with similar acoustic properties similar surface conditions. The test has to be performed only by employees with level 2 certificaccording to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. 		si	ze of 1 is	not excee	ded. A de	LEA ALA viating	a 5 according	to ASIM E 930 a has to be do	U is acceptabl	e provide cording to	d, ti		grai
similar surface conditions. The test has to be performed only by employees with level 2 certification according to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. REV	म एव या जाप	a	nd to be a	pproved b	y the BHE	EL. Redu	iction of amo	unt of testing of	an be agreed	with the	BHE	EL. Fo	r thi
similar surface conditions. The test has to be performed only by employees with level 2 certification according to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. REV	का प्रत्य हो न कि												
similar surface conditions. The test has to be performed only by employees with level 2 certification according to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. REV	in 8 pr										-		
similar surface conditions. The test has to be performed only by employees with level 2 certification according to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. REV	पन्नाय ही सम्परि त में हारि											?	
similar surface conditions. The test has to be performed only by employees with level 2 certification according to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. REV	ta th the R	7.2.3.1	Scope of I	Inspection	:								
similar surface conditions. The test has to be performed only by employees with level 2 certification according to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. REV	doll's dollar	F	ollowing N	IDE shall b	e perform	ned in d	elivery conditi	on:					
similar surface conditions. The test has to be performed only by employees with level 2 certification according to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. REV	रचा हथ्। भारत है। बचोप, ज		• Visu	al inspecti	on of all t	oars							
similar surface conditions. The test has to be performed only by employees with level 2 certification according to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. REV	स्त् ह सूचन नी तरह		• veri	fication te	st of all ba	ars							
similar surface conditions. The test has to be performed only by employees with level 2 certification according to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. REV	i i form		• Con	nplete ultr	asonic ins	pection	(UT) of all ba	rs according to	FN 10308 to	ne 1a (tak	1 ماد) or (othe
similar surface conditions. The test has to be performed only by employees with level 2 certification according to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. REV	n reis												
according to EN 473 or SNT-TC-1A. 100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT. REV	हैं आप्रस्त		refe	rence bloc	ck have to	o be ma	inufactured o	ut of materials	with similar	acoustic p	prop	erties	s an
100% PT of all bars without the face areas according to EN 571-1. It is permitted to carry of UT with a double transducer probe in the near surface area instead of PT.								performed on	ly by employe	es with le	vel	2 cer	tifie
UT with a double transducer probe in the near surface area instead of PT.	ATE							mandles to Th	E74 4 14 14	and the st			
REV 657											10 0	arry	outa
REV 557			•			and bi		a surface area					
REV 53 REV 53	-44		see de Melder	2			-		0000				
WORKED BY Asbish Ranjan ARomon 20.0 WORKED BY Gonal Multher 20.9	9_	REV .	. 03								T	4	
Witapel Gonel William 20.9	0 2							WORKED BY		ARoux	sin	20.1	1.60
CHECKED BY Gonal De 9								जांचकर्ता		1.111-			
4 de Krishnan	" A							CHECKED BY	Gopal	1 Perme	"	20.0	191


é

.

-		संस्थान		विनिर्देश	(0	- A)	HW	127	84	
R DATE	र एग ई एम इन्द्रिय	14410	प्राध	वामदरा	(हाम –	डरिद्वार)	पृष्ठ		का	
TATION UR DATE	Шүүш		(HEE	[ASE SP] p-haridwa		CATION	Page	4	of	7
N N	7.2.3.2 Criteria	for registration ar	nd decision:						÷hr.	
INVENTORY NO	a) Regardin	ng UT inspection q	uality class 3	according to E	N10308 (ta	ble 3) shall be	applied.		,	
INVE	The decision	on limit for loss o	f back wall e	cho is 3 dB for	all bar dim	ensions. The r	ecording l	evel	is def	in
	with > 1m	m d _{eq} . All indicatio	on d _{eq} ≤ 1mm	are acceptable	2.					
21 4944	b) PT: India	cations \geq 5 mm an	e unacceptat	le. Indications	free grind	ng excavation	s with dep	ths ≤	1 m m	n a
अधिकतित करता है	acceptable	b ,								1
	8.0 MARKING:									•
tited.It must	Blades are 9.0 DOCUMENT	to be marked as j TATION:	per attachme	nt 2 and specif	ication AA	0400310.		•		
COFTRUCH I. AND CONFIDENTIAL information on his documents is the property of Bhreat Heavy Electrical Limited.it must not be used directly or indirectly in ety, way derivating to the interest of the company		er shall supply for le order. The test o)4 unless a	and	other	wi
Heavy b the in		er no.	torial Desire				•		Ì	
Bherat	•	cification no. / Ma t Number, heat ar	*							
at activity of	• Corr	nplete information	n of all heat t	eatments perf					,	
the propert		ults of mechanical		-					,	
nents is rectly i		tos of microstruct ults of non destruc		its of the grain	size deter	mination & cre	ep test rej	port		
a his documents is t actly or indirectly in		firmation of the m	-	fication check						
directly C	• Con	firmation of the d	imensional a	nd visual check						
COT The information on this not be used directly (10.0 CIFARAN	CE FOR DELIVERY:							,	
The inf		results of the test	-	rried out are t	he decidin	g factor for cle	arance for	del	ivery,	a
		Il be intimated to								
		ing into considera on (if any). No n							•	
ज प्रत्यक्ष		however, does no								
्षा भागा थ हल की सल्पति है हसका प्रत्यक्ष पूर्व के दित दे हार्षिकारक हो म किया जाए	permissibl	e defects which a	re found late					•		
त्रणाद सम्बद्धि 1 संहतनि	11.0 DEVIATION				•					*
भू भा		s from this Purch riting, giving full d	•						5	
	discretion	(m) +)	cons of the		eptance of	Concession re	quest will	ng s	11 6196	50
a 15	12.0 PROCESS	QUALIFICATION:								
भारत भारत ह्योन, उ		cation review, pe	erformed joi	the by the B	HEL and	supplier, is re	equired b	efor	e sta	iti
रप्रप्राप्त इंच्ह्रेन्स भारत ही तप्त प्रयोग, प		a fan sheathaith and		my by the b						I LI
रपडपाह । में सी गई सुचना भारत हे किसी सी सरह प्रयोग, र	production			*				.		
रपडपालपार पूर एक वलेच में थी गई सुचना भारत हैवी इजेविद्रूल क्षा कप से किसी मी ततह प्रयोग, जो कि कंपने	This initial	process qualific	ation is req	uired for eacl	n fabricatio	on facility of	the manu			т
Y दा प्राप्त प्रति हो गई मुंहमा भारत है हो ह से हिरूकल की साप्तरित है हरका प्रदय्ध एवं इस प्रलेख में दी गई मुंहमा भारत है हो ह से हिरूकल की साप्तरित है हरका प्रदय्ध एवं अप्रत्य का पर से फिसी सी तत्तह प्रयोग, जो कि संपन्दी के हित है हामिकतरक हो म किया ज	This initial fabrication and inspe	l process qualific n and inspection p ection sequence	ation is req parameters st plan (MIP)	uired for each ipulated durin which the	n fabricatio g this phas supplier p	on facility of e form the ba prepares at 1	the manu sis of the r his own	nan resp	onsib	T Iri ilit
	This initial fabrication and inspe Manufactu	l process qualifie n and inspection p ection sequence uring is commence	ation is req parameters st plan (MIP) ed after the c	uired for each ipulated durin which the heck of confor	n fabrication g this phas supplier pr mity by the	on facility of e form the ba prepares at l purchaser and	the manu sis of the r his own d depends	nan resp on t	ufactu onsib he re	T Iri ilit
	This initial fabrication and inspe Manufactu of the qua	I process qualific n and inspection p ection sequence uring is commence ilification review, I	ation is req parameters st plan (MIP) ed after the c if necessary;	uired for each ipulated durin which the heck of confor the manufactu	n fabrication g this phas supplier p mity by the ring param	on facility of e form the base prepares at l purchaser and eters are to be	the manu sis of the r his own d depends further op	nan resp on t	ufactu onsib he re ized.	T ilii su
N & DATE (9)11 ***	This initial fabrication and inspe Manufactu of the qua Unless oth first three	I process qualifie in and inspection p ection sequence uring is commence diffication review, I herwise stipulated orders in additio	ation is req parameters st plan (MIP) ed after the c if necessary; d by the purc n. If desired,	uired for each ipulated durin which the heck of confor the manufactur chaser, the pro-	n fabrication g this phas supplier pr mity by the ring parameters press quali	on facility of e form the base prepares at l purchaser and eters are to be fication shall a	the manu sis of the r his own d depends further op also be rea	nan resp on t otim quire	ufactu onsib he re ized. ized for	T iri ilii su
	This initial fabrication and inspe Manufactu of the qua Unless oth first three	I process qualifie n and inspection p ection sequence uring is commence lification review, I herwise stipulated	ation is req parameters st plan (MIP) ed after the c if necessary; d by the purc n. If desired,	uired for each ipulated durin which the heck of confor the manufactur chaser, the pro-	n fabrication g this phas supplier pr mity by the ring parameters press quali	on facility of e form the base prepares at l purchaser and eters are to be fication shall a	the manu sis of the r his own d depends further op also be rea	nan resp on t otim quire	ufactu onsib he re ized. ized for	Ti irii ilii su
ASION & DATE	This initial fabrication and inspe Manufactu of the qua Unless oth first three	I process qualifie in and inspection p ection sequence uring is commence diffication review, I herwise stipulated orders in additio	ation is req parameters st plan (MIP) ed after the c if necessary; d by the purc n. If desired,	uired for each ipulated durin which the heck of confor the manufactur chaser, the pro-	n fabrication g this phas supplier pr mity by the ring parameters press quali	on facility of e form the base prepares at l purchaser and eters are to be fication shall a	the manu sis of the r his own d depends further op also be rea	nan resp on t otim quire	ufactu onsib he re ized. ized for	Ti irii iliit sui ti
ASION & DATE	This initial fabrication and inspe Manufactu of the qua Unless oth first three the reliabil	I process qualifie in and inspection p ection sequence uring is commence diffication review, I herwise stipulated orders in additio	ation is req parameters st plan (MIP) ed after the c if necessary; d by the purc n. If desired,	uired for each ipulated durin which the heck of confor the manufactur chaser, the pro-	n fabrication g this phas supplier p mity by the ring param press quali- lification c	on facility of e form the ba- prepares at l purchaser and eters are to be fication shall a an also be call Ashish	the manu sis of the r his own d depends further op also be rea	nan resp on t otim quire	ufactu onsib he re- ized. ed for icatio	Ti ilit sul
1 24(9)11 m	This initial fabrication and inspe Manufactu of the qua Unless oth first three the reliabil	I process qualifie in and inspection p ection sequence uring is commence diffication review, I herwise stipulated orders in additio	ation is req parameters st plan (MIP) ed after the c if necessary; d by the purc n. If desired,	uired for each ipulated durin which the heck of confor the manufactur chaser, the pro-	n fabricatio g this phas supplier g mity by the ring param ocess quali lification c	on facility of e form the ba- prepares at l purchaser and eters are to be fication shall a an also be cal	the manu sis of the r his own d depends further op also be rea	nan resp on t otim quire	ufactu onsib he re ized. ized for	Ti ilit sul

5	junio in the second			NT (A)	-0	HW 12	784
ra skrikt Sic & DATE	र एय डे एम	सस्थान	क्रय विनिद्	श (डीप —	हरिद्वार)	पृष्ठ	का
दिनोंक एवं इस्तासर SION & DATE	PI	ANT P	URCHASE (HEEP - HARII		ATION	Page 5	of 7
SUPERSEDES INVENTORY NO.	performed (also o Mechan	n the hardest ical tests also	testing and examin and softest bar): in the edge position structure with resi	of the cross sec	tion		
सामग्री जूवी संख्या हो अधिवनित करता है	direction	ו	structure with res		n size deterr	nination in i	ongruon
लामग्री सूर अधियति	13.0 CROSS REFERRED	-					
.lt.muet Mary			0269, EN ISO 6506-1 0308, EN 473, EN 57		M E8M, EN 10	0045, DIN I	N 10291
L cal Limited of the comp							1 '
ENTIA teny Electri the interest							ž
CONFID of Bharse H trimental to							Į
T AND C And a the property the property of the							
YRIGHT ocuments is indirectly in							;
COP ton on Dils of d directly or							
COPYRIGHT AND CONFIDENTIAL The information on this documents is the property of Bhars Heavy Electrical Limited.It must inclue used directly or indirectly in any way detrimental to the interest. of the company							÷
सका प्रत्यक्ष प्		8			4		er gejær i si
रनीय ो सम्पर्क्षि हे ह : * हामिकारक			•				
स्वतदाविकार एवं गोपनीय. इस प्रतेव में में सूचना माल हेती इलेफिट्रक्स की सन्यति हे सरला प्रत्य एवं अडल्सा कन में तिसी भी लंख प्रयोग. जो कि क्यमी के हिल में हामिलाक हो न किया जाए ।	:	x				,	1
বন্দো খি ক লা সাংম ह বী। চ দকাণ, জা দি							
स् । मैं दी गई यूद हे किसी भी तर							-
इस प्रलेख अप्रत्यक्ष कार							
Revie DATE 1/1							qysbet - Bytthringfo
ADDIN & DATE							
	REV 03			নির্দাগকর্বা WORKED BY	Ashish	Demain	20.09
INVENTORY NO.				जांचकर्ता CHECKED BY	Ranjan Gopal	Allahon	00.9.
				CHOCKED BY	Krishnan	V	





इंक्युमेट सरवर पर मोचित्र कर दी गई है।	स मोचित्र क	र दी गई है।			हस्ताक्षर दिनांक SIGN & DATE	दिनांक DATE		डॉक्युमेंट सख DOCUMEN	डॉक्युमेंट सरवर पर जमा कर दी गई है। DOCUMENT DEPOSITED IN SERVER	। जाई हैं। ERVER	हस्ताक्षर दिनांक SIGN & DA I'I.	दिनांक DA I'I:	संशोधन न्यपत्र CHANGE ADVICE FORM	E FORM
	CHOED FROM	1 41 41 4						3	न्पाद का प्रकार		जीएसएस/जीआ प्रान्त्यो/जीबोम मं	मुद्रण वितरण	स्वीकृतिकर्ता	과
4) va 5 va 17/11	CHAN	संशोधन सूचना संख्या CHANGE ADVICE NO.	रु स		जारीकर्ता विभाग ISSUING DEPTT	विभाग DEPTT.]		उत्पाद का प्रकार Tv ·c QF PRODUCT	(3)	एएसपी/सीबोम सं GMS / GRSP /CBOM No. (4)		E APR	
							(2)	pp	A				· ·	ACHIMAN
	ISXCM	ISX(MTE)-10	-16 +		ALW								अन्य सीबोम	1
अभिकत्प दुस्तावेज स DESIGNÁTION (DRAWING	संशोधित पृष्ठ	संशोधन संख्या	संशोधन का कारण कृद				संशीधन का विवरण DETAILS OF REVISION	-ISION Stal			USITE ALC HIGHI CHARGEABLE HEAD NO.	सीबीझ:जीएमएस / जीआरएसपी की प्रकारांतर सं	-जीएम एस स /जीआरएसपी सं/ सीबीम सं जहां	REMARKS
No.etc) [7] ROUTE	REVISED SHEET. NOS	REV. NO.	REASON OF CHANGE		जैसा है AS IT EXISTS	XISTS			जैसा, होन्ना, चाहिए AS /T SHOULD BE		•	VARIANT NO. OF CBOM/GMS/GRSP (14)	OTHER CROM /GMS NOS./ GRSP NOS./ CBOM NOS./	(16)
(7a)	(8))	(01)				×.			(12)	ters.		APPLICABUTY (15)	
HW127144 HEEA CE	HH HH	8	Review	Clause	ue 4.0	o modified.	fied.		2		1	1	1	
et ta											!		1.	
	~							-					TO MEET	
CODES FOR REAS	SON OF CHANG	GESI- DI- ENGIN	VEERING ERROR	ICAL MODIFICAT	IONS, 02- DESIG	CUSTOMER DEMI	(INCLUD NG ADDIT	CODES FOR REASON OF CHANGES:- 01- ENGINEERING EAROR INCLUDING D.O. ERRORS, 02- DESIGN UPGRADITION OF VARIANTI,03- DESIGN REVIEW INCLUDIN. CHANGES DUE TO CHANGE AVVICE IN CHIER AVVICE IN CHIE	DESIGN REVIEW INC	E DAMAL - DY TURN	OUT ORIGINALS BY A	FRESH ORIGINALS ,09-	ANYOTHER	टिर्जन
			रियांस				AGREED T	सहमति		(20)	 निस्तारणकर्ता	NAME		DATE
	NAME	SIGN	DATE	unfazifiafi	สไปไว้เส้า		जिंग एवं दूल	वेल, प्रौधांत्रिकी	केन्द्रीय संयंत्र	अल्य विभाग	RELEASED BY STANDARDS (21)	3 Magar	Cant	2 301
निमार्थकर्ता		Ļ	1.32		TECHNOLO- GY	QUALITY	विभाग । & T DEPTT.	TECHNOLOGY	प्रयाग CPL	OTHER DEPT 1.	ISSUED BY	Helly	A	11)02
WORKED BY	Ashok	How	6112			hanna	stor sol	•			- 10	ल्यम्	Rece	18/2
जोधकर्ती CHECKED BY	SURVUR	ala	EL.			gradens	5				प्राप्त कर्ता RECEIVED BY	म्राज	Ð	201
সানক নির্ধায়ণ STD.CONTROL		- +					а (<u>1175</u>				मैंड से (1010)	कुल पुष्ठ TOTAL SHEETS		Ī,
	-								34		and a state of the			



Reits un geelert SIGN & DATE

SUPERSEDES INVENTORY NO.

फामडी सूची संख्या को अधिकवित कामाई

COPYRIGHT ANL/CONFIDENTIAL The information on fits documents is the property of Blinat Heavy Electrical Limited It must not be used directly or indirectly in any way detrimental to the interest of the company

मारत हेवी एलेक्टियनस लिमिट्ट न के तरह इयीन, जो कि कंपनी के वत्त्वाधिकाट एवं गोपनी

EE

एवं भाष्ट्रत्यक कृप मे ŧ

2

ł E Real and

संस्थान मानक (हीप : हरिद्वार)

HW0993008

1

का

PLANT STANDARD (HEEP: HARIDWAR)

Page 1 of 2

2

पृष्ट

(OWN EXPERIENCE)

DIMENSION AND TOLERANCES OF BAR MATERIAL OF BLADES FOR SPECIFICATIONS HW10663, HW10670, HW10786, HW10687 & NICKEL BASED SUPER ALLOYS (HW12784, INCONEL 617M, NIMONIC 105 ETC.)

1. **Dimension & Tolerances:**

The dimension shall be as per purchase order. Unless otherwise stated in the purchase order, length or bars shall be 2.5-5 meters with maximum 10% short down to 1 meter.

Tolerance on thickness and width are as follows:




Table: 1.1 FOR HW10663, HW10670, HW10786, HW10687

B, width across flats (mm)	Max Allowable deviation on B, mm	S, Thickness (mm)	Max Allowable deviation on S, mm
B ≤ 35	+1.5	S ≤ 20	+1
35 < B ≤ 75	+2	$20 < S \le 40$	+2
B > 75	+3	S>40	+3

Table: 1.2 FOR HW12784 (NIMONIC 80A), INCONEL 617M, NIMONIC 105 ETC.

B, width across flats (mm)	Max Allowable deviation on B, mm	S, Thickness (mm)	Max Allowable deviation on S, mm
B≤75	41	S <u>≤</u> 40	+1
B > 75	+1.5	S > 40	+1.5

Twisting and bending will be allowed as per following table:2



1.1							1
DATE	22	MIE	ASHISH	ARaygoran		नाम NAME	तिनाक एवं इस्ताजर SIGNATURE & DATE
Repercients	3	TSX	SandeepSyl	+ Jondar 131400	নিৰ্মালকৰ্ৱা WORKED BY	SANDIP CHAKRABORTY	805/06/2020
SI	#	STE-TB	RKSingh	A 10/06 200	जांबकर्ता CHECKED BY	ANIL KUMAR	Just 05/06/2020
КY		QAX	U.K. Vand	My 40002	-सीकृतकर्त APPROVED BY	RAJIV KUMAR RAJAK	PTL 0102 516/2020
INVENTORY).		सहमत विमाग AGREED DEPTT	MIN NAME	Raine un genner DATE & SIGNATURE	पर्यवेश्वणकर्ता SUPERVISED BY	SANTANU BHOWMIK	2m5 5/6/202
N	123				•	जेकरण समिति TANDARDIZATION COMM	Gr. NO.
सामग्री सूची	5	REV.NO. 01 Dt.	03/6/2020		निर्माण टी.बी.एम	जाती ्टी.स.एक्स	Rate DATE : 03.06.2020
H	đ	CHANGE ADVICE NO.	TSXOBM	20-166	PREPARED : TBM	ISSUED : TSX	



Repression & DATE

SUPERSEDES

सामग्री सूची संकता को अधिकामिस करता है

mation on this documents is the property of Bharat Hes Limited.It must not be used directly or indirectly in any

एमस्ट्रिक्तज सिप्रिंड ही सम्पति है इसका उत्तर औ कि संमनी के हित में हारिकारकड़ी न फिय

स थी गई सूचना झारत देवी एमें रूप से किंती के स्पत्न स्वीय औ

E 10

of the

COPYRIGHT AND CONFIDENTIAL The information on this documents is the property of Bhatai He Electrical Limited.th must not be used directly or indirectly in an

संस्थान मानक (हीप : हरिद्वार)

HW0993008


PLANT STANDARD (HEEP: HARIDWAR)

2 पृष्ट 2 का Page 2 2 of

Table:2

Condition	Bending	Twisting
B & S both ≤ 110	1.5 mm/meter	1.5 mm/meter
B or S>110	2 mm/meter	2 mm/meter

Table 3: Straightness tolerances (qmax) for rectangular section bar



Bulging on the sides shall not be more than 0.01 X B & 0.02 X S respectively

Table 4: Out of section tolerance for rectangular section bar:

Out of section	Nominal Thickness (mm)	Tolerance(mm)
	- 10 < S ≤ 25	u≤0.5
VIIIII	25 <s≤40< td=""><td>u≤ 1.0</td></s≤40<>	u≤ 1.0
	s 40 <s≤80< td=""><td>u≤1.5</td></s≤80<>	u≤1.5
<u>u</u> B	S > 80	u≤3.0

Cross referred documents: HW10663, HW10670, HW10786, HW10687, HW12784 and EN10269. 2.

RYNO. SI	REV. NO. 01	निर्माणकर्ता WORKED BY	SANDIP CHAKRABORTY	R	05/06/2020
NVENTOR	-	 जांचकर्ता CHECKED BY	ANIL KUMAR	dite-	05/06/2020

DOCOMICIAL IN	DOCUMENT RELEASED FROM SERVERY CIA	JM SERVER	CIA .		SIGN	SIGN & DATE		DOCU	DOCUMENT DEPOSITED IN SERVER	IN SERVER	SIGN & DATE	DATE	CHANGE ADVICE FORM	TE FORM
	£ #	संशोधन सूचना संख्या CHANGE ADVICE NO.	संख्या 12 NO. (1)		जारीक ISSUIN	जारीकर्ता विभाग ISSUING DEPTT. – – – – – – – – – – – – – – – – – –	TBM		שברות הו אהול דירה סי PRODUCT	SERIE OF PRODUCT THE OF PRODUCT THE DAY HAD DI A AL	जीएनए रएसपी/र /CBOI	मुद्रण वितरण दिनांक PRINT DELIVERY DATE	APPROVED BL	25/ 60 20 20 20 20 20 20 20 20 20 20 20 20 20
-	7.5% (-Curse	13x (M2m)20-166	•			(2)			let.	-	Sur	my Kumer (ACM TRY
अभिकार्ग्दः दुस्तावेज सं. DESIGNATION (DRAWING No.etc) (7)	संशोधित पृष्ठ	संशोधन संख्या REV. NO.	संशोधन का कारण कुट् CODE FOR		•		संशोधन का विवरण DETAILS OF REVISION	ারবল VISION			भ्राभार्थ मद संख्या CHARGEABLE HEAD NO.	न्द्र स्	अन्य सीबोम जीएम एस सं जीआपएसपी सं/	
	REVISED SHEET. NOs. (8)	3	REASON OF CHANGE (10)	34.	र अ	जैसा है AS IT EXISTS	(11)		जैसा होना चाहिए र्तंऽ।? SHOULD BE	е 4 (2)	(13)	YARUAT NC. OF CBOM/GNAS/GRSP (14)	GRSP NOS./ GRSP NOS./ GRSP NOS./ CBOM NOS. WHERE APPLICABLITY (155)	(16)
Huroppsons	10	10	haitten	ne. Se	Specification mumber vi	Superseded I	by not	2° tra	2	standard TSX(TBM)lalbb	1	1	•	و و و و و و و و و و و و و و و و و و و
											· · · · · · · · ·			i an an an
MANUFACTURIN	IG REQUIREME	BES:- 01- ENGI	NEERING ERROR	IICAL MODIFICATI	RRORS, 02- DESIG ONS, 06- TO SUIT	CUSTOMER DEMA	NDS, 07 TO SUIT S	TATUTORY REQUIR	MENTS, 08 TO REPL	ACE DAMAGED/ TURN	CODES FOR REASON OF CHANGES-: 02- ENGINEERING ERROR INCLUDING D.O. ERRORS, 02- DESIGN UPGRADITION (INCLUDING ADDITION OF VARIANT), 03- DESIGN REVIEW INCLUDING CHANGES DUE TO CHANGE ADVICE IN OTHER DOCUMENTS, 04- TO MEET MANUFACTURING REQUIREMENTS, 05- TO MEET TECHNOLOGICAL MODIFICATIONS, 06- TO SUIT CUSTOMER DEMANDS, 07 TO SUIT STATUTORY REQUIREMENTS, 08 TO REPLACE DAMAGED/ TURN OUT ORIGINALS BY A FRESH ORIGINALS, 09- ANY OTHER THE BENCH OF COMPANY OF THE COMPANY OF THE COMPANY OF TO SUIT CUSTOMER DEMANDS, 07 TO SUIT STATUTORY REQUIREMENTS, 08 TO REPLACE DAMAGED/ TURN OUT ORIGINALS BY A FRESH ORIGINALS, 09- ANY OTHER THE BENCH ORIGINALS AND THE COMPANY OF TO SUIT CUSTOMER DEMANDS, 07 TO SUIT STATUTORY REQUIREMENTS, 08 TO REPLACE DAMAGED/ TURN OUT ORIGINALS BY A FRESH ORIGINALS, 09- ANY OTHER THE BENCH ORIGINAL SUPERIOR OF TO SUIT CUSTOMER DEMANDS, 07 TO SUIT STATUTORY REQUIREMENTS, 08 TO REPLACE DAMAGED/ TURN OUT ORIGINALS BY A FRESH ORIGINALS, 09- ANY OTHER	N OTHER DOCUMENTS ESH ORIGINALS ,09- AI 귀대		री नाम म
	NAME	SIGN	दिनाक DATE	आशियांत्रिकी	प्रौधोतिकी	क्वालिटी	3 0	सहमात वेल. प्रोधानिकी	केन्द्रीय संयेव	अन्य विभाग अन्य विभाग	RELEASED BY STANDARDS (21)	Name Sandea	AN 4- 1	13/C/2.L
निमार्थकर्ता WORKED BY	Sandip Creater to	0fe	anjalsa	ENGG.	A MOR		J&TDEPTT:	TECHNOLOGY	CPL	()	जारी करते ISSUED BY (CTA) (22)	रानीज' -	A a	13/05/20.
(17) जांचकर्ता CHECKED BY	Anit Kumar	E.		05/06/200 Do X Sim/A Do	Clarkent	1 12062 wieda	. /		1		(CIA) (ZZ) XITCT STAT RECEIVED BY STANDARDS (23)	Sundeep	ARX 1	13 4202
(18) सानक जियंत्रण		Å		1 - 100	B.K. Kalon	J.K.	١	١				Fail -	ap 13	क / 29 [6]
STD.CONTROL (19)						マ		٠			40 (25)	कुल पृष्ठ TOTAL SHEETS		(26)